

WEST Search History

Hide Items

Restore

Clear

Cancel

32

DATE: Tuesday, February 27, 2007

Hide? Set Name Query

Hit Count

DB=PGPB,USPT,EPAB,JPAB,DWPI; PLUR=YES; OP=OR

<input type="checkbox"/>	L4	burioni.in. and (antibod\$ same (HCV or hepatitis adj C))	6
<input type="checkbox"/>	L3	l1 and (@ad<20020130 or @pd<20020130)	38
<input type="checkbox"/>	L2	L1 and e137	1
<input type="checkbox"/>	L1	neutraliz\$ near4 (antibod\$ or immunoglob\$) same (HCV or hepatitis adj C) with E2	77

END OF SEARCH HISTORY



All Databases

PubMed

Nucleotide

Protein

Genome

Structure

OMIM

PMC

Journals

Books

Search for

☒ Limits ☐ Preview/Index ☐ History ☐ Clipboard ☐ Details

Field: Title/Abstract

- Search History will be lost after eight hours of inactivity.
- Search numbers may not be continuous; all searches are represented.
- To save search indefinitely, click query # and select Save in My NCBI.
- To combine searches use #search, e.g., #2 AND #3 or click query # for more options.

About Entrez

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorials

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

Special Queries

LinkOut

My NCBI

Related Resources

Order Documents

NLM Mobile

NLM Catalog

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Search	Most Recent Queries	Time	Result
#18	Search #16 AND #9 Field: Title/Abstract	09:20:01	<u>41</u>
#17	Search #16 AND #11 Field: Title/Abstract	09:18:23	<u>146</u>
#16	Related Articles for PubMed (Select 16250048)	09:18:06	<u>284</u>
#11	Related Articles for PubMed (Select 16501075)	09:18:00	<u>601</u>
#9	Search #8 AND (HCV[ti] or "hepatitis C"[ti]) Field: Title/Abstract	09:02:24	<u>103</u>
#8	Related Articles for PubMed (Select 12323399)	08:40:51	<u>225</u>
#6	Search (HCV[ti] or "hepatitis C"[ti]) AND (Fab or antibod\$ or immunoglob\$) Field: Title/Abstract	08:40:22	<u>14</u>
#5	Search (HCV[ti] or "hepatitis C"[ti]) AND (therap\$ or treat\$ or (passive AND vaccin\$)) Field: Title/Abstract	08:39:52	<u>457</u>
#4	Search (HCV or "hepatitis C") AND (therap\$ or treat\$ or (passive AND vaccin\$)) Field: Title/Abstract	08:39:41	<u>620</u>
#3	Search (HCV or "hepatitis C") AND (therap\$ or treat\$ or (passive AND vaccin\$))	08:39:29	<u>15386</u>
#1	Search (HCV or "hepatitis C") AND (therap\$ or treat\$) AND (immunoglob\$ or antibod\$ or (passive AND vaccin\$))	08:38:55	<u>14</u>

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

Feb 21 2007 18:14:20

BLASTP 2.2.15 [Oct-15-2006]

Reference:

Altschul, Stephen F., Thomas L. Madden, Alejandro A. Schäffer, Jinghui Zhang, Zheng Zhang, Webb Miller, and David J. Lipman (1997), "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", Nucleic Acids Res. 25:3389-3402.

Reference:

Schäffer, Alejandro A., L. Aravind, Thomas L. Madden, Sergei Shavirin, John L. Spouge, Yuri I. Wolf, Eugene V. Koonin, and Stephen F. Altschul (2001), "Improving the accuracy of PSI-BLAST protein database searches with composition-based statistics and other refinements", Nucleic Acids Res. 29:2994-3005.

RID: 1172616815-29106-99909479111.BLASTQ3


Database: All non-redundant GenBank CDS translations+PDB+SwissProt+PIR+PRF excluding environmental samples
4,657,147 sequences; 1,607,774,624 total letters


If you have any problems or questions with the results of this search please refer to the [BLAST FAQs](#)
[Taxonomy reports](#)

Query= *SEQ ID NO: 8*
Length=102

Distribution of 101 Blast Hits on the Query Sequence

Mouse over to see the define, click to show alignments





Distance tree of results [NEW](#) [Related Structures](#)

Sequences producing significant alignments:		Score (Bits)	E Value	
gi 1265526 emb CAC27614.1 	immunoglobulin kappa chain variable	169	5e-41	
gi 21707884 gb AAH34141.1 	IGKC protein [Homo sapiens]	167	2e-40	UG
gi 542883 pir S40336	Ig kappa chain V-J region - human >gi 4...	166	3e-40	
gi 21669487 dbj BAC01768.1 	immunoglobulin kappa light chain VLJ	166	4e-40	U
gi 481992 pir S40334	Ig kappa chain - human	166	5e-40	
gi 441357 emb CAA51112.1 	Ig kappa light chain (VJC) [Homo sapie	165	5e-40	U
gi 41388184 gb AAS01771.1 	monoclonal IgM antibody light chain [165	6e-40	U
gi 4063659 gb AAC98364.1 	scFV antibody V-region [synthetic cons	164	9e-40	
gi 58202720 gb AAW67411.1 	rotavirus-specific intestinal-homi...	164	9e-40	U
gi 5690400 gb AAD47068.1 AF163306_1	anti-HLA-A2/A28 immunoglo...	164	1e-39	U
gi 4063657 gb AAC98363.1 	scFV antibody V-region [synthetic cons	164	2e-39	
gi 77378175 gb ABA70812.1 	immunoglobulin kappa light chain vari	164	2e-39	
gi 13171340 gb AAK13632.1 AF234256_1	immunoglobulin light chain	163	3e-39	U
gi 5360679 dbj BAA82105.1 	anti-Entamoeba histolytica immunog...	163	3e-39	U
gi 114385548 gb ABI74032.1 	immunoglobulin light chain variable	163	3e-39	
gi 51103393 gb AAT96422.1 	immunoglobulin variable region VL kap	163	3e-39	U
gi 5081721 gb AAD39506.1 AF146408_1	antibody light chain variabl	163	3e-39	U
gi 49257007 gb AAH73791.1 	IGKC protein [Homo sapiens]	162	3e-39	UG
gi 21669353 dbj BAC01701.1 	immunoglobulin kappa light chain VLJ	162	3e-39	U
gi 567146 gb AAA52924.1 	immunoglobulin gamma-chain, V region [H	162	4e-39	U
gi 7012707 gb AAF35179.1 	immunoglobulin light chain variable re	162	5e-39	U
gi 306993 gb AAA20164.1 	immunoglobulin light chain	162	6e-39	
gi 45501244 gb AAH67226.1 	IGKC protein [Homo sapiens]	162	6e-39	UG
gi 63102969 gb AAY33390.1 	anti-rabies virus immunoglobulin l...	162	6e-39	U
gi 11275318 dbj BAB18259.1 	anti HBs antibody light-chain Fab fr	161	8e-39	U
gi 4063661 gb AAC98365.1 	scFV antibody V-region [synthetic cons	161	8e-39	
gi 3046470 gb AAC13450.1 	anti-Rh(D) antibody V kappa segment [s	161	8e-39	
gi 70798869 gb AAZ09144.1 	immunoglobulin kappa light chain vari	161	9e-39	U
gi 63103079 gb AAY33445.1 	anti-rabies virus immunoglobulin l...	161	1e-38	U
gi 542905 pir S40318	Ig kappa chain V region - human >gi 441...	161	1e-38	
gi 18307264 gb AAL65703.1 	immunoglobulin light chain kappa vari	160	1e-38	
gi 12655530 emb CAC27616.1 	immunoglobulin kappa chain variable	160	1e-38	
gi 732746 emb CAA84391.1 	antibody, light chain variable regi...	160	1e-38	
gi 4063667 gb AAC98368.1 	scFV antibody V-region [synthetic cons	160	1e-38	
gi 3644022 gb AAC43029.1 	anti-mucin1 light chain variable regio	160	2e-38	U
gi 12655532 emb CAC27617.1 	immunoglobulin kappa chain variable	160	2e-38	
gi 5081723 gb AAD39507.1 AF146409_1	antibody light chain variabl	160	2e-38	U

gi 93278678 pdb 2AJ3 A	Chain A, Crystal Structure Of.A Cross-...	160	2e-38	S
gi 47109384 emb CAG28673.1	anti-PLAP ScFv antibody [synthetic c	160	2e-38	
gi 63103033 gb AAV33422.1	anti-rabies virus immunoglobulin l...	160	2e-38	E
gi 1514581 emb CAA65058.1	immunoglobulin kappa light chain [syn	160	2e-38	E
gi 84797980 gb ABC66939.1	immunoglobulin light chain variabl...	160	2e-38	E
gi 21669293 dbj BAC01671.1	immunoglobulin kappa light chain VLJ	160	3e-38	E
gi 5731263 gb AAD48839.1	single-chain Fv antibody SR19 [synthet	159	3e-38	
gi 58032607 gb AAW63086.1	anti-pneumococcal antibody 54B11 ligh	159	3e-38	
gi 12655528 emb CAC27615.1	immunoglobulin kappa chain variable	159	3e-38	
gi 33355929 gb AAQ16318.1	anti-human kappa light chain antib...	159	4e-38	
gi 29725718 gb AAO91639.1	anti-HLA-A2/A28 immunoglobulin lig...	159	4e-38	E
gi 58222496 gb AAW68880.1	anti-tetanus toxoid immunoglobulin...	159	4e-38	E
gi 13171342 gb AAK13633.1 AF234257_1	immunoglobulin light chain	159	4e-38	E
gi 49256425 gb AAH73764.1	IGKC protein [Homo sapiens]	159	4e-38	E
gi 21669307 dbj BAC01678.1	immunoglobulin kappa light chain VLJ	159	4e-38	E
gi 567150 gb AAA52928.1	immunoglobulin gamma-chain, V region [H	159	5e-38	E
gi 4378190 gb AAD19430.1	immunoglobulin kappa light chain varia	159	5e-38	E
gi 186009 gb AAA62364.1	immunoglobulin kappa-chain VK-1 [Homo s	159	5e-38	E
gi 63101938 gb AAH95489.1	IGKC protein [Homo sapiens]	159	6e-38	E
gi 4323882 gb AAD16580.1	immunoglobulin kappa light chain varia	159	6e-38	E
gi 55700563 emb CAH69219.1	anti-human-CD3-anti-human-HMWG.bi...	159	6e-38	E
gi 21669363 dbj BAC01706.1	immunoglobulin kappa light chain VLJ	159	6e-38	E
gi 18092610 gb AAL59374.1	anti-cardiolipin immunoglobulin light	159	6e-38	E
gi 114385751 gb ABI74133.1	immunoglobulin light chain variable	158	6e-38	E
gi 77378173 gb ABA70811.1	immunoglobulin kappa light chain vari	158	6e-38	E
gi 98956308 emb CAI99792.1	immunoglobulin kappa light chain var	158	7e-38	E
gi 70798711 gb AAZ09065.1	immunoglobulin kappa light chain vari	158	7e-38	E
gi 21669297 dbj BAC01673.1	immunoglobulin kappa light chain VLJ	158	7e-38	E
gi 58222457 gb AAW68862.1	anti-tetanus toxoid immunoglobulin...	158	7e-38	E
gi 21998807 emb CAD43015.1	immunoglobulin kappa chain variable	158	7e-38	E
gi 41388186 gb AAS01772.1	monoclonal IgM antibody light chain [158	7e-38	E
gi 109693151 gb ABG38368.1	immunoglobulin light chain variable	158	8e-38	E
gi 114385626 gb ABI74071.1	immunoglobulin light chain variable	158	8e-38	E
gi 542900 pir IS40352	Ig kappa chain V-J-C region - human >gi...	158	9e-38	E
gi 186006 gb AAA58934.1	Ig kappa V-region d	158	9e-38	E
gi 70798670 gb AAZ09045.1	immunoglobulin kappa light chain vari	157	1e-37	E
gi 4379022 emb CAA77300.1	kappa immunoglobulin (subgroup V kapp	157	1e-37	E
gi 109240734 emb CAJ13477.1	immunoglobulin kappa chain variable	157	1e-37	E
gi 6179862 gb AAF05688.1	anti-phospholipid immunoglobulin li...	157	1e-37	E
gi 14573217 gb AAK67997.1	immunoglobulin light chain variable r	157	1e-37	E
gi 63103119 gb AAV33465.1	anti-rabies virus immunoglobulin l...	157	1e-37	E
gi 109693101 gb ABG38344.1	immunoglobulin light chain variable	157	1e-37	E
gi 84798214 gb ABC67056.1	immunoglobulin light chain variabl...	157	2e-37	E
gi 5731265 gb AAD48840.1	single-chain Fv antibody VE91 [synthet	157	2e-37	E
gi 18025630 gb AAK94824.1	immunoglobulin light chain variable r	157	2e-37	E
gi 63103035 gb AAV33423.1	anti-rabies virus immunoglobulin l...	157	2e-37	E
gi 4063665 gb AAC98367.1	scFV antibody V-region [synthetic cons	157	2e-37	E
gi 6179868 gb AAF05691.1	anti-phospholipid immunoglobulin li...	157	2e-37	E
gi 14588867 emb CAC43029.1	immunoglobulin light chain variable	157	2e-37	E
gi 58202724 gb AAW67413.1	rotavirus-specific intestinal-homi...	157	2e-37	E
gi 12655492 emb CAC27598.1	immunoglobulin kappa chain variable	157	2e-37	E
gi 33235610 dbj BAC80161.1	immunoglobulin kappa light chain [Ho	157	2e-37	E
gi 58222492 gb AAW68878.1	anti-tetanus toxoid immunoglobulin...	157	2e-37	E
gi 63103087 gb AAV33449.1	anti-rabies virus immunoglobulin l...	157	2e-37	E

gi 462009 pir S40369	Ig kappa chain - human	>gi 441427 emb C...	156	2e-37	
gi 75707211 gb ABA26069.1	immunoglobulin light chain variable r		156	2e-37	U
gi 63102911 gb AAV33361.1	anti-rabies virus immunoglobulin l...		156	2e-37	U
gi 21669365 dbj BAC01707.1	immunoglobulin kappa light chain VLJ		156	3e-37	U
gi 11275310 dbj BAB18255.1	anti TNF-alpha antibody light-chain		156	3e-37	U
gi 109693166 gb ABG38375.1	immunoglobulin light chain variab...		156	3e-37	
gi 106669 pir S19674	Ig kappa chain V region (clone alpha-TE...		156	3e-37	
gi 114385660 gb ABI74088.1	immunoglobulin light chain variable		156	3e-37	
gi 90823197 gb ABE01099.1	anti-Rhesus D-specific antibody li...		156	3e-37	

Alignments

Get selected sequences

Select all

Deselect all

Distance tree of results

> **U** gi|12655526|emb|CAC27614.1| immunoglobulin kappa chain variable region [Homo sapiens]
Length=106

Score = 169 bits (427), Expect = 5e-41, Method: Composition-based stats.
Identities = 93/100 (93%), Positives = 97/100 (97%), Gaps = 0/100 (0%)

Query	3	ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAAS	62
		+LTQSPSFLSASVGDRVTITCRASQGIS+YLAWYQQKPGKAPKLLIYAAS	
Sbjct	2	QLTQSPSFLSASVGDRVTITCRASQGISSYLAWYQQKPGKAPKLLIYAAS	61
Query	63	SGSGSWTEFTLTISRLQPEDFATYYCQHLNTYPWTFGQGT	102
		SGSGS TEFTLTIS LQPEDFATYYCQ LN+YPWTFGQGT	
Sbjct	62	SGSGSGTEFTLTINSLQPEDFATYYCQQLNSYPWTFGQGT	101

> **U** gi|21707884|gb|AAH34141.1| **UG** IGKC protein [Homo sapiens]
Length=236

Score = 167 bits (422), Expect = 2e-40, Method: Composition-based stats.
Identities = 90/100 (90%), Positives = 93/100 (93%), Gaps = 0/100 (0%)

Query	3	ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAAS	62
		+LTQSPSFLSASVGDRVTITCRASQGIS+YLAWYQQKPGKAP LLIYAAS	
Sbjct	25	QLTQSPSFLSASVGDRVTITCRASQGISSYLAWYQQKPGKAPNLLIYAAS	84
Query	63	SGSGSWTEFTLTISRLQPEDFATYYCQHLNTYPWTFGQGT	102
		SGSGS TEFTLTIS LQPEDFATYYCQ LN+ P TFG GT	
Sbjct	85	SGSGSGTEFTLTISLQPEDFATYYCQQLNSSPPTFGGGT	124

> **U** gi|542883|pir||S40336 Ig kappa chain V-J region - human
gi|441361|emb|CAA51114.1| **U** Ig kappa light chain (VJ) [Homo sapiens]
Length=124

Score = 166 bits (420), Expect = 3e-40, Method: Composition-based stats.
Identities = 94/101 (93%), Positives = 97/101 (96%), Gaps = 1/101 (0%)

Query	3	ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAAS	62
		+LTQSPSFLSASVGDRVTITCRASQGIS+YLAWYQQKPGKAPKLLIYAAS	
Sbjct	18	QLTQSPSFLSASVGDRVTITCRASQGISSYLAWYQQKPGKAPKLLIYAAS	77
Query	63	SGSGSWTEFTLTISRLQPEDFATYYCQHLNTY-PWTFGQGT	102
		SGSGS TEF+LTIS LQPEDFATYYCQ LNTY PWTFGQGT	
Sbjct	78	SGSGSGTEFSLTISLQPEDFATYYCQQLNTYPPWTFGQGT	118

> **U** gi|21669487|dbj|BAC01768.1| immunoglobulin kappa light chain VLJ region [Homo sapiens]

Length=264.

Score = 166 bits (420), Expect = 4e-40, Method: Composition-based stats.
Identities = 90/99 (90%), Positives = 93/99 (93%), Gaps = 0/99 (0%)

```
Query 4 LTQSPSFLSASVGDRTTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRFS 63
        LTQSPS LSASVGDRTTITCRASQGIS+YLAWYQQKPGKAPKLLIYAASLTQSGVPSRFS
Sbjct 26 LTQSPSSLSASVGDRTTITCRASQGISSYLAWYQQKPGKAPKLLIYAASLTQSGVPSRFS 85

Query 64 GSGSWTEFTLTISRLQPEDFATYYCQHLNTPWTFGQGT 102
        GSGS T+FTLTIS LQPEDFATYYCQ LN+YP TFG GT
Sbjct 86 GSGSGTDFTLTISLQPEDFATYYCQQLNSYPLTFGGGT 124
```

> gi|481992|pir||S40334 Ig kappa chain - human
Length=132

Score = 166 bits (419), Expect = 5e-40, Method: Composition-based stats.
Identities = 87/100 (87%), Positives = 94/100 (94%), Gaps = 0/100 (0%)

```
Query 3 ELTQSPSFLSASVGDRTTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 62
        +LTQSPSFLSAS+GDRVTITCRASQGI++YLAWYQQKPGKAPKLLIY ASTLQSGVPSRF
Sbjct 24 QLTQSPSFLSASIGDRVTITCRASQGINSYLAWYQQKPGKAPKLLIYVASTLQSGVPSRF 83

Query 63 SGSGSWTEFTLTISRLQPEDFATYYCQHLNTPWTFGQGT 102
        SGSGS TEFTLTIS LQPEDFA+YYCQ N+YP+TFG GT
Sbjct 84 SGSGSGTEFTLTISLQPEDFASYCQFNSYPFTFGGGT 123
```

> gi|441357|emb|CAA51112.1| **U** Ig kappa light chain (VJC) [Homo sapiens]
Length=133

Score = 165 bits (418), Expect = 5e-40, Method: Composition-based stats.
Identities = 87/100 (87%), Positives = 94/100 (94%), Gaps = 0/100 (0%)

```
Query 3 ELTQSPSFLSASVGDRTTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 62
        +LTQSPSFLSAS+GDRVTITCRASQGI++YLAWYQQKPGKAPKLLIY ASTLQSGVPSRF
Sbjct 24 QLTQSPSFLSASIGDRVTITCRASQGINSYLAWYQQKPGKAPKLLIYVASTLQSGVPSRF 83

Query 63 SGSGSWTEFTLTISRLQPEDFATYYCQHLNTPWTFGQGT 102
        SGSGS TEFTLTIS LQPEDFA+YYCQ N+YP+TFG GT
Sbjct 84 SGSGSGTEFTLTISLQPEDFASYCQFNSYPFTFGGGT 123
```

> gi|41388184|gb|AAS01771.1| **U** monoclonal IgM antibody light chain [Homo sapiens]
Length=236

Score = 165 bits (418), Expect = 6e-40, Method: Composition-based stats.
Identities = 87/100 (87%), Positives = 92/100 (92%), Gaps = 0/100 (0%)

```
Query 3 ELTQSPSFLSASVGDRTTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 62
        ++TQSPS LSASVGDRTTITCRASQGISNYLAWYQQKPGK PKLLIYAASLTQSGVPSRF
Sbjct 25 QMTQSPSSLSASVGDRTTITCRASQGISNYLAWYQQKPGKVPKLLIYAASLTQSGVPSRF 84

Query 63 SGSGSWTEFTLTISRLQPEDFATYYCQHLNTPWTFGQGT 102
        SGSGS T+FTLTIS LQPED ATYYCQ N+ P+TFGQGT
Sbjct 85 SGSGSGTDFTLTISLQPEDVATYYCQKYNAPYTFGQGT 124
```

> gi|4063659|gb|AAC98364.1| scFV antibody V-region [synthetic construct]
Length=232

Score = 164 bits (416), Expect = 9e-40, Method: Composition-based stats.
Identities = 85/99 (85%), Positives = 93/99 (93%), Gaps = 0/99 (0%)

Query 4 LTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRFS 63
 +TQSPS LSASVGDRVTITCRASQGIS++LAWYQQKPGKAPKLL+Y AS+L+SGVPSRFS
 Sbjct 128 MTQSPSTLSASVGDRVTITCRASQGISSWLAWYQQKPGKAPKLLMYEASSLESQSGVPSRFS 187

Query 64 GSGSWTEFTLTISRLQPEDFATYYCQHLNTYPWTFGQGT 102
 GSGS TEFTLTIS LQP+DFA YYCQH NTYP+TFGQGT
 Sbjct 188 GSGSGTEFTLTISLQPDFAAYYCQHYNTYPYTFGQGT 226

> gi|58202720|gb|AAW67411.1| **U** rotavirus-specific intestinal-homing antibody light chain variable region [Homo sapiens]
 Length=109

Score = 164 bits (416), Expect = 9e-40, Method: Composition-based stats.
 Identities = 91/100 (91%), Positives = 95/100 (95%), Gaps = 0/100 (0%)

Query 3 ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 62
 ++TQSPSFLSASVGDRVTITCRASQGIS+YLAWYQQKPGKAPKLLIYAASLTQSGVPSRF
 Sbjct 5 QVTQSPSFLSASVGDRVTITCRASQGISSYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 64

Query 63 SGSGSWTEFTLTISRLQPEDFATYYCQHLNTYPWTFGQGT 102
 SGSGS TEFTLTIS LQPEDFATYYCQ LN+YP TFG GT
 Sbjct 65 SGSGSGTEFTLTISLQPEDFATYYCQQLNSYPLTFGGGT 104

> gi|5690400|gb|AAD47068.1|AF163306.1 **U** anti-HLA-A2/A28 immunoglobulin light chain variable region [Homo sapiens]
 Length=108

Score = 164 bits (416), Expect = 1e-39, Method: Composition-based stats.
 Identities = 88/99 (88%), Positives = 93/99 (93%), Gaps = 0/99 (0%)

Query 4 LTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRFS 63
 +TQSPSFLSASVGDRVTITCRAS GI+NYLAWYQQKPGKAPKLLIYAASLTQSGVPSRFS
 Sbjct 4 MTQSPSFLSASVGDRVTITCRASHGINNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRFS 63

Query 64 GSGSWTEFTLTISRLQPEDFATYYCQHLNTYPWTFGQGT 102
 GSGS TEFTLTIS LQPEDFATYYCQ ++YP TFG+GT
 Sbjct 64 GSGSGTEFTLTISLQPEDFATYYCQYDSYPPTFGRGT 102

> gi|4063657|gb|AAC98363.1| scFV antibody V-region [synthetic construct]
 Length=232

Score = 164 bits (414), Expect = 2e-39, Method: Composition-based stats.
 Identities = 84/99 (84%), Positives = 92/99 (92%), Gaps = 0/99 (0%)

Query 4 LTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRFS 63
 +TQSPS LSASVGDRVTITCRASQ IS++LAWYQQKPGKAPKLL+Y AS+L+SGVPSRFS
 Sbjct 128 MTQSPSTLSASVGDRVTITCRASQSISSWLAWYQQKPGKAPKLLMYEASSLESQSGVPSRFS 187

Query 64 GSGSWTEFTLTISRLQPEDFATYYCQHLNTYPWTFGQGT 102
 GSGS TEFTLTIS LQP+DFA YYCQH NTYP+TFGQGT
 Sbjct 188 GSGSGTEFTLTISLQPDFAAYYCQHYNTYPYTFGQGT 226

> gi|77378175|gb|ABA70812.1| immunoglobulin kappa light chain variable region [Homo sapiens]
 Length=128

Score = 164 bits (414), Expect = 2e-39, Method: Composition-based stats.
 Identities = 90/101 (89%), Positives = 91/101 (90%), Gaps = 1/101 (0%)

Query 3 ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 62


```

      +LT SPSFLSASVGDRVTITCRASQGI NYLAWYQQKPGKAPKLLIYAASLT SGVPSRF
Sbjct 14 QLTPSPSFLSASVGDRVTITCRASQGIKNYLAQQKPGKAPKLLIYAASLT HSGVPSRF 73

Query 63 SGSGSWTEFTLTISRLQPEDFATYYCQHLNTPWT-FGQGT 102
      SGSGS TEFTLTIS LQPEDFATYYCQ LNTYP FG GT
Sbjct 74 SGSGSGTEFTLTISRLQPEDFATYYCQQLNTPGVIFGPGT 114

```

> gi|13171340|gb|AAK13632.1|AF234256.1 **U** immunoglobulin light chain variable region [Homo sapiens]
Length=107

Score = 163 bits (412), Expect = 3e-39, Method: Composition-based stats.
Identities = 88/99 (88%), Positives = 92/99 (92%), Gaps = 0/99 (0%)

```

Query 4 LTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRFS 63
      +TQSPSFLSASVGDRVTITCRASQGISNYLAWYQQ+PGKAPKLLIYAASLTQ+GVPSRFS
Sbjct 4 MTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQRPGKAPKLLIYAASLTQTGVPSRFS 63

Query 64 GSGSWTEFTLTISRLQPEDFATYYCQHLNTPWTFGQGT 102
      GSGS TEFTLTIS LQPEDFATY+CQ L YP TFG GT
Sbjct 64 GSGSGTEFTLTISRLQPEDFATYFCQQLGGYPLTFGGGT 102

```

> gi|5360679|dbj|BAA82105.1 **U** anti-Entamoeba histolytica immunoglobulin kappa light chain [Homo sapiens]
Length=215

Score = 163 bits (412), Expect = 3e-39, Method: Composition-based stats.
Identities = 90/101 (89%), Positives = 94/101 (93%), Gaps = 1/101 (0%)

```

Query 3 ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 62
      ++TQSPSFLSASVGDRVTITCRASQGIS+YLAWYQQKPGKAPKLLIYAASLTQSGVPSRF
Sbjct 3 QMTQSPSFLSASVGDRVTITCRASQGISSYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 62

Query 63 SGSGSWTEFTLTISRLQPEDFATYYCQHLNTPWTFGQGT 102
      SGSGS TEFTLTIS LQPEDFATYYCQ LN+Y TFG GT
Sbjct 63 SGSGSGTEFTLTISRLQPEDFATYYCQQLNSYLALTFGGGT 103

```

> gi|114385548|gb|ABI74032.1 immunoglobulin light chain variable region [Homo sapiens]
Length=110

Score = 163 bits (412), Expect = 3e-39, Method: Composition-based stats.
Identities = 89/100 (89%), Positives = 94/100 (94%), Gaps = 0/100 (0%)

```

Query 3 ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 62
      ELTQSPSFLSASVGDRVTITCRASQGIS+YLAWYQQKPGKAPKLLIYAAS+LQSGVPSRF
Sbjct 3 ELTQSPSFLSASVGDRVTITCRASQGISSYLAWYQQKPGKAPKLLIYAASSLQSGVPSRF 62

Query 63 SGSGSWTEFTLTISRLQPEDFATYYCQHLNTPWTFGQGT 102
      SGSGS T+FTLTIS LQPEDFATYYCQ N++P TFG GT
Sbjct 63 SGSGSGTDFTLTISRLQPEDFATYYCQANSFPLTFGGGT 102

```

> gi|51103393|gb|AAT96422.1 **U** immunoglobulin variable region VL kappa domain [Homo sapiens]
Length=107


Score = 163 bits (412), Expect = 3e-39, Method: Composition-based stats.
Identities = 90/99 (90%), Positives = 93/99 (93%), Gaps = 0/99 (0%)

```

Query 4 LTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRFS 63
      LTQSPSFLSASVGDRVTITCRASQGIS YLAWYQQKPGKAPKLLIYAASLTQSGVPSRFS
Sbjct 4 LTQSPSFLSASVGDRVTITCRASQGIISTYLAWYQQKPGKAPKLLIYAASLTQSGVPSRFS 63

```


Query 64 . GSGSWTEFTLTISRLLQPEDFATYYCQHLNTYPWTFGQGT 102
GSGS T+FTLTIS LQPEDFATYYCQ N+ P+TFGQGT
Sbjct 64 GSGSGTDFTLTISTLQPEDFATYYCQQFNSNPYTFGQGT 102

> [gi|5081721|gb|AAD39506.1|AF146408_1](#)  antibody light chain variable region [Homo sapiens]
Length=108

Score = 163 bits (412), Expect = 3e-39, Method: Composition-based stats.
Identities = 88/99 (88%), Positives = 91/99 (91%), Gaps = 0/99 (0%)

Query 4 LTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRFS 63
+TQSPSFLSA VGDR+TITCRASQGIS YLAWYQQKPGKAPKLLIYAASLTQSGVPSRFS
Sbjct 4 MTQSPSFLSAFVGDRITITCRASQGISGYLAWYQQKPGKAPKLLIYAASLTQSGVPSRFS 63


Query 64 GSGSWTEFTLTISRLLQPEDFATYYCQHLNTYPWTFGQGT 102
GSGS TEFTLTIS LQPED ATYYCQ N+ PWTFGQGT
Sbjct 64 GSGSGTEFTLTISGLQPEDVATYYCQKYNAPWTFGQGT 102

> [gi|49257007|gb|AAH73791.1](#)  IGKC protein [Homo sapiens]
Length=236

Score = 162 bits (411), Expect = 3e-39, Method: Composition-based stats.
Identities = 86/100 (86%), Positives = 90/100 (90%), Gaps = 0/100 (0%)

Query 3 ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 62
++TQSPS LSASVGDRVTITCRASQGISN L WYQQKPGKAPKLLIYAAS+LQSGVPSRF
Sbjct 25 QMTQSPSSLSASVGDRVTITCRASQGISNDLGWYQQKPGKAPKLLIYAASSLTQSGVPSRF 84


Query 63 SGSGSWTEFTLTISRLLQPEDFATYYCQHLNTYPWTFGQGT 102
SGSGS T+FTLTIS LQPEDFATYYC YPWTFGQGT
Sbjct 85 SGSGSGTDFTLTISSLQPEDFATYYCLQDYNYPWTFGQGT 124

> [gi|21669353|dbj|BAC01701.1](#)  immunoglobulin kappa light chain VLJ region [Homo sapiens]
Length=269

Score = 162 bits (411), Expect = 3e-39, Method: Composition-based stats.
Identities = 84/99 (84%), Positives = 88/99 (88%), Gaps = 0/99 (0%)

Query 4 LTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRFS 63
+TQSPS LSASVGDRVT TCRAS+GI N L WYQQKPGKAP+ LIYAASLTQSGVPSRFS
Sbjct 26 MTQSPSSLSASVGDRVTFTCRASRGIRNDLGWYQQKPGKAPERLIYAASLTQSGVPSRFS 85

Query 64 GSGSWTEFTLTISRLLQPEDFATYYCQHLNTYPWTFGQGT 102
GSGS TEFTLTIS LQPEDFATYYC N+YPWTFGQGT
Sbjct 86 GSGSGTEFTLTISSLQPEDFATYYCLQHNNSYPWTFGQGT 124

> [gi|567146|gb|AAA52924.1](#)  immunoglobulin gamma-chain, V region [Homo sapiens]
Length=149

Score = 162 bits (411), Expect = 4e-39, Method: Composition-based stats.
Identities = 89/100 (89%), Positives = 91/100 (91%), Gaps = 0/100 (0%)

Query 3 ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 62
ELTQSPS LSASVGDRVTITCRASQGISNYLAWYQQKPGK PKLLIYAASLTQSGVPSRF
Sbjct 1 ELTQSPSSLSASVGDRVTITCRASQGISNYLAWYQQKPGKVPKLLIYAASLTQSGVPSRF 60

Query 63 SGSGSWTEFTLTISRLLQPEDFATYYCQHLNTYPWTFGQGT 102
SGSGS T+FTLTIS LQPED ATYYCQ N+ P TFGQGT
Sbjct 61 SGSGSGTDFTLTISSLQPEDVATYYCQKYNAPRTFGQGT 100

> gi|7012707|gb|AAF35179.1| **U** immunoglobulin light chain variable region [Homo sapiens]
Length=107

Score = 162 bits (410), Expect = 5e-39, Method: Composition-based stats.
Identities = 88/100 (88%), Positives = 92/100 (92%), Gaps = 0/100 (0%)

```
Query 3 ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 62
      ++TQSPS LSASVGDRVTITCRASQGI NYLAW+QQKPGKAPK LIYAAS LQSGVPSRF
Sbjct 3 QMTQSPSSLSASVGDRVTITCRASQGI RNYLAWFQQKPGKAPKSLIYAASNLTQSGVPSRF 62

Query 63 SGSGSWTEFTLTISRLQPEDFATYYCQHLNTPWTFGQGT 102
      SGSGS T+FTLTIS LQPEDFATYYCQ NTYPWTFGQGT
Sbjct 63 SGSGSGTDFTLTISSLQPEDFATYYCQQHNTYPWTFGQGT 102
```

> gi|306993|gb|AAA20164.1| immunoglobulin light chain
Length=104

Score = 162 bits (409), Expect = 6e-39, Method: Composition-based stats.
Identities = 89/98 (90%), Positives = 95/98 (96%), Gaps = 0/98 (0%)

```
Query 5 TQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRFSG 64
      TQSPSFLSASVGDRVT+TCRASQGIS+YLAWYQQKPGKAPKLLIYAASLT+SGVP+RFSG
Sbjct 1 TQSPSFLSASVGDRVTITCRASQGISSYLAWYQQKPGKAPKLLIYAASLTESGVPTRFSG 60

Query 65 SGSWTEFTLTISRLQPEDFATYYCQHLNTPWTFGQGT 102
      SGS TEFTLTIS LQPEDFATYYCQ LN+YP+TFGQGT
Sbjct 61 SGSGTEFTLTISLQPEDFATYYCQQLNSYPFTFGQGT 98
```

> gi|45501244|gb|AAH67226.1| **UG** IGKC protein [Homo sapiens]
Length=236

Score = 162 bits (409), Expect = 6e-39, Method: Composition-based stats.
Identities = 84/100 (84%), Positives = 88/100 (88%), Gaps = 0/100 (0%)

```
Query 3 ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 62
      +LTQSPSFLSA+VGDRV+ITCRASQ IS YLAWYQ K GKAPKLLIY ASTLTQSGVPSRF
Sbjct 25 QLTQSPSFLSAAVGDRVSITCRASQDISKYLAWYQHKIGKAPKLLIYGASTLTQSGVPSRF 84

Query 63 SGSGSWTEFTLTISRLQPEDFATYYCQHLNTPWTFGQGT 102
      SGSGS TEFTLT+ LQPED ATYYCQ LN YP TFG GT
Sbjct 85 SGSGSGTEFTLTINSLQPEDLATYYCQQLNNYPLTFGGT 124
```

> gi|63102969|gb|AAY33390.1| **U** anti-rabies virus immunoglobulin light chain variable region
[Homo sapiens]
Length=107

Score = 162 bits (409), Expect = 6e-39, Method: Composition-based stats.
Identities = 90/100 (90%), Positives = 95/100 (95%), Gaps = 0/100 (0%)

```
Query 3 ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 62
      ++TQSPSFLSASVGDRVTITCRASQGIS+YLAWYQQKPGKAPKLLIYAASLTQSGVPSRF
Sbjct 3 QMTQSPSFLSASVGDRVTITCRASQGISSYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 62

Query 63 SGSGSWTEFTLTISRLQPEDFATYYCQHLNTPWTFGQGT 102
      SGSGS TEFTLTIS LQPEDFATY CQ L++YP TFGQGT
Sbjct 63 SGSGSGTEFTLTISLQPEDFATYSCQQLDSYPITFGQGT 102
```

> gi|11275318|dbj|BAB18259.1| **U** anti HBs antibody light-chain Fab fragment [Homo sapiens]
Length=214

Score = 161 bits (408), Expect = 8e-39, Method: Composition-based stats.
Identities = 83/100 (83%), Positives = 88/100 (88%), Gaps = 0/100 (0%)

```
Query 3 ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 62
        ELTQSPS ++ASVGDRVTITCRASQGI NYL W+QQKPGK PK LIYAAS+LQSGVPSRF
Sbjct 3 ELTQSPSAMAASVGDRVTITCRASQGIGNYLVWFQQKPGKVPKRLIYAASSLTQSGVPSRF 62

Query 63 SGSGSWTEFTLTISRLQPEDFATYYCQHLNTYPWTFGQGT 102
        SGSGS TEFTLTIS LQPEDFATYYC H N YP +FG GT
Sbjct 63 SGSGSGTEFTLTISSLQPEDFATYYCLHHNNYPLSFGGGT 102
```

> gi|4063661|gb|AAC98365.1| scFV antibody V-region [synthetic construct]
Length=232

Score = 161 bits (408); Expect = 8e-39, Method: Composition-based stats.
Identities = 84/100 (84%), Positives = 93/100 (93%), Gaps = 0/100 (0%)

```
Query 3 ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 62
        ++TQSPS LSASVGDRVTITCRASQ IS++LAWYQQKPGKAPKLL+Y AS+L+SGVPSRF
Sbjct 127 QMTQSPSTLSASVGDRVTITCRASQSISSWLAWYQQKPGKAPKLLMYEASSLESQSGVPSRF 186

Query 63 SGSGSWTEFTLTISRLQPEDFATYYCQHLNTYPWTFGQGT 102
        SGSGS TEFTLTIS LQP+DFA YYCQH NTYP+TFGQGT
Sbjct 187 SGSGSGTEFTLTISSLQPDFAAYYCQHYNTYPYTFGQGT 226
```

> gi|3046470|gb|AAC13450.1| anti-Rh(D) antibody V kappa segment [synthetic construct]
Length=107

Score = 161 bits (408), Expect = 8e-39, Method: Composition-based stats.
Identities = 91/102 (89%), Positives = 96/102 (94%), Gaps = 1/102 (0%)

```
Query 2 AELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSR 61
        AELTQSPSFLSASVGDRVTITCRASQGI++YLAWYQQKPGKAPKLLIYAASLTQSGVPSR
Sbjct 1 AELTQSPSFLSASVGDRVTITCRASQGITSYLAWYQQKPGKAPKLLIYAASLTQSGVPSR 60

Query 62 FSGSGSWTEFTLTISRLQPEDFATYYCQHLNTY-PWTFGQGT 102
        FSGSGS TEFTLTII+ LQP+DFATYYCQ LN Y P+TFG GT
Sbjct 61 FSGSGSGTEFTLTIIASLQPDFAATYYCQQLNNYPFTFGPGT 102
```

> gi|70798869|gb|AAZ09144.1| **U** immunoglobulin kappa light chain variable region [Homo sapiens]
Length=109

Score = 161 bits (408), Expect = 9e-39, Method: Composition-based stats.
Identities = 89/99 (89%), Positives = 93/99 (93%), Gaps = 0/99 (0%)

```
Query 4 LTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRFS 63
        LTQSPSFLSASVGDRVTITCRASQGIS+YLAW+QQ PGKAPKLLIYAASLTQSGVPSRFS
Sbjct 1 LTQSPSFLSASVGDRVTITCRASQGISSYLAWFQQNPGKAPKLLIYAASLTQSGVPSRFS 60

Query 64 GSGSWTEFTLTISRLQPEDFATYYCQHLNTYPWTFGQGT 102
        GSGS TEFTLTIS LQPEDFATYYCQ +N+YP TFG GT
Sbjct 61 GSGSGTEFTLTISSLQPEDFATYYCQVNSYPLTFGGGT 99
```

> gi|63103079|gb|AAZ33445.1| **U** anti-rabies virus immunoglobulin light chain variable region
[Homo sapiens]
Length=107

Score = 161 bits (407), Expect = 1e-38, Method: Composition-based stats.
Identities = 89/100 (89%), Positives = 95/100 (95%), Gaps = 0/100 (0%)

```

Query 3  ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASTLQSGVPSRF 62
+LTQSPS LSASVGDRVTITCRASQGI++YLAWYQQ+PGKAPKLLIYAASTLQSGVPSRF
Sbjct 3  QLTQSPSTLSASVGDRVTITCRASQGISNYLAWYQQEPGKAPKLLIYAASTLQSGVPSRF 62

Query 63  SGSGSWTEFTLTISRLQPEDFATYYCQHLNTPWTFGQGT 102
SGSGS TEFTLTIS LQPEDFATYYCQ LN+YP+TFG GT
Sbjct 63  SGSGSGTEFTLTISLQPEDFATYYCQQLNSYPFTFGPGT 102

```

```

> gi|542905|pir||S40318 Ig kappa chain V region - human
gi|441325|emb|CAA51096.1| Ig kappa light chain (VJ) [Homo sapiens]
Length=124

```

Score = 161 bits (407), Expect = 1e-38, Method: Composition-based stats.
Identities = 87/100 (87%), Positives = 94/100 (94%), Gaps = 0/100 (0%)

```

Query 3  ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASTLQSGVPSRF 62
+LTQSPSFLSASVGDRVTITCRASQGIS+YLAWYQQK G+APK+LIYAASTLQSGVPSRF
Sbjct 19  QLTQSPSFLSASVGDRVTITCRASQGISSYLAWYQQKVGEAPKVLIIYAASTLQSGVPSRF 78

Query 63  SGSGSWTEFTLTISRLQPEDFATYYCQHLNTPWTFGQGT 102
SGSGS TEF+LTIS LQPEDFATYYC +N+YP TFGQGT
Sbjct 79  SGSGSGTEFSLTISLQPEDFATYYCHQVNSYPQTFGQGT 118

```

```

> gi|18307264|gb|AAL65703.1| immunoglobulin light chain kappa variable region [Homo sapiens]
Length=102

```

Score = 160 bits (406), Expect = 1e-38, Method: Composition-based stats.
Identities = 90/97 (92%), Positives = 92/97 (94%), Gaps = 0/97 (0%)

```

Query 6  QSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASTLQSGVPSRFSGS 65
QSPSFLSASVGDRVTITCRASQGIS+YLAWYQQKPGKAPKLLIYAASTLQSGVPSRFSGS
Sbjct 1  QSPSFLSASVGDRVTITCRASQGISSYLAWYQQKPGKAPKLLIYAASTLQSGVPSRFSGS 60

Query 66  GSWTEFTLTISRLQPEDFATYYCQHLNTPWTFGQGT 102
GS TEFTLTIS LQPEDFATYYCQ LN+YP FGQGT
Sbjct 61  GSGTEFTLTISLQPEDFATYYCQQLNSYPLAFGQGT 97

```

```

> gi|12655530|emb|CAC27616.1| immunoglobulin kappa chain variable region [Homo sapiens]
Length=103

```

Score = 160 bits (406), Expect = 1e-38, Method: Composition-based stats.
Identities = 90/100 (90%), Positives = 94/100 (94%), Gaps = 0/100 (0%)

```

Query 3  ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASTLQSGVPSRF 62
+LTQSPSFLSAS+ DRVTITCRASQGIS+YLAWYQQKPGKAPKLLIYAASTLQSGVPSRF
Sbjct 2  QLTQSPSFLSASIRDRVTITCRASQGISSYLAWYQQKPGKAPKLLIYAASTLQSGVPSRF 61

Query 63  SGSGSWTEFTLTISRLQPEDFATYYCQHLNTPWTFGQGT 102
SGSGS TEFTLTIS LQPEDFATYYCQ LN+YP TFGQGT
Sbjct 62  SGSGSGTEFTLTISRLQPEDFATYYCQQLNSYPITFGQGT 101

```

```

> gi|732746|emb|CAA84391.1| antibody, light chain variable regin to HIV1 gp41 [Homo sapiens]
Length=115

```

Score = 160 bits (406), Expect = 1e-38, Method: Composition-based stats.
Identities = 89/102 (87%), Positives = 95/102 (93%), Gaps = 2/102 (1%)

```

Query 3  ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASTLQSGVPSRF 62
+LTQSPSFLSASVGDRVTITCRASQGIS+YLAWYQQKPGKAPKLLIYAASTLQSGVPSRF

```

Sbjct 8 . QLTQSPSFLSASVGDRVTITCRASQGISSYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 67

Query 63 SGSGSWTEFTLTISRLQPEDFATYYCQHLNTYP--WTFGQGT 102

SGSGS +FTLTIS LQPEDFATYYCQ LN++P +TFG GT

Sbjct 68 SGSGSGPDFTLTISLQPEDFATYYCQQLNSFPRVFTFGPGT 109

> gi|4063667|gb|AAC98368.1| scFV antibody V-region [synthetic construct]
Length=228

Score = 160 bits (406), Expect = 1e-38, Method: Composition-based stats.
Identities = 87/99 (87%), Positives = 90/99 (90%), Gaps = 0/99 (0%)

Query 4 LTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRFS 63

LTQSPSFLSASVGDRVTITCRAS GISNYLAWYQ KPGKAPKLLIYAASLTQ+GVPS FS

Sbjct 124 LTQSPSFLSASVGDRVTITCRASHGISNYLAWYQHKGKAPKLLIYAASLTQNGVPSTFS 183

Query 64 GSGSWTEFTLTISRLQPEDFATYYCQHLNTYPWTFGQGT 102

GSGS TEFTLTIS LQP+DFATYYCQ L +YP TFG GT

Sbjct 184 GSGSGTEFTLTISLQPDDEFATYYCQQLISYPLTFGGGT 222

> gi|3644022|gb|AAC43029.1| **U** anti-mucin1 light chain variable region [Homo sapiens]
Length=107

Score = 160 bits (405), Expect = 2e-38, Method: Composition-based stats.
Identities = 88/100 (88%), Positives = 93/100 (93%), Gaps = 0/100 (0%)

Query 3 ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 62

++TQSPSFLSASVGDRVTITCRASQGIS+ AWYQQKPGKAPKLLIYAASLTQSGVPSRF

Sbjct 3 QMTQSPSFLSASVGDRVTITCRASQGISSNFAWYQQKPGKAPKLLIYAASLTQSGVPSRF 62

Query 63 SGSGSWTEFTLTISRLQPEDFATYYCQHLNTYPWTFGQGT 102

SGSG TEFTLTIS LQPEDFATYYCQ LN++P TFGQGT

Sbjct 63 SGSGFGTEFTLTISLQPEDFATYYCQQLNSFPRTFGQGT 102

> gi|12655532|emb|CAC27617.1| immunoglobulin kappa chain variable region [Homo sapiens]
Length=104

Score = 160 bits (405), Expect = 2e-38, Method: Composition-based stats.
Identities = 93/101 (92%), Positives = 95/101 (94%), Gaps = 1/101 (0%)

Query 3 ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 62

+LTQSPSFLSASVGDRVTITCRASQGIS+YLAWYQQKPGKAP LLIYAASLTQSGVPSRF

Sbjct 2 QLTQSPSFLSASVGDRVTITCRASQGISSYLAWYQQKPGKAPNLLIYAASLTQSGVPSRF 61

Query 63 SGSGSWTEFTLTISRLQPEDFATYYCQHLNTYPW-TFGQGT 102

SGSGS TEFTLTIS LQPEDFATYYCQHLN YP TFGQGT

Sbjct 62 SGSGSGTEFTLTISLQPEDFATYYCQHLNGYPPNTFGQGT 102

> gi|5081723|gb|AAD39507.1|AF146409_1 **U** antibody light chain variable region [Homo sapiens]
Length=108

Score = 160 bits (405), Expect = 2e-38, Method: Composition-based stats.
Identities = 87/100 (87%), Positives = 93/100 (93%), Gaps = 0/100 (0%)

Query 3 ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 62

++TQSPSFLSASVGDRVTITCRASQ I+++LAWYQQKPGKAPKLLIYAAS LQSGVPSRF

Sbjct 3 QMTQSPSFLSASVGDRVTITCRASQHINSWLAWYQQKPGKAPKLLIYAASRLQSGVPSRF 62

Query 63 SGSGSWTEFTLTISRLQPEDFATYYCQHLNTYPWTFGQGT 102

SGSGS TEFTLTIS LQPEDFATYYCQ LN+YP TFG GT

Sbjct 63 . SGSGSGTEFTLTISLQPEDFATYYCQQLNSYPLTFGGGT 102

> [gi|93278678|pdb|2AJ3|A](#) **S** Chain A, Crystal Structure Of A Cross-Reactive Hiv-1 Neutralizing Cd4-Binding Site Antibody Fab M18

[gi|93278680|pdb|2AJ3|C](#) **S** Chain C, Crystal Structure Of A Cross-Reactive Hiv-1 Neutralizing Cd4-Binding Site Antibody Fab M18

[gi|93278682|pdb|2AJ3|E](#) **S** Chain E, Crystal Structure Of A Cross-Reactive Hiv-1 Neutralizing Cd4-Binding Site Antibody Fab M18

Length=213

Score = 160 bits (405), Expect = 2e-38, Method: Composition-based stats.
Identities = 83/100 (83%), Positives = 90/100 (90%), Gaps = 0/100 (0%)

Query 3 ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 62

++TQSPSFLSASVGDRV+ITCRASQ I +LAWYQ PG APKLL+Y+ASTLTQSGVPSRF

Sbjct 2 QMTQSPSFLSASVGDRVSITCRASQDIQKFLAWYQLTPGDAPKLLMYSASTLTQSGVPSRF 61

Query 63 SGSGSWTEFTLTISRLQPEDFATYYCQHLNTPWTFGQGT 102

SGSGS TEFTLTIS LQPEDFATYYCQHL YP+TFGQGT

Sbjct 62 SGSGSGTEFTLTISGLQPEDFATYYCQHLKRYPTYTFGQGT 101

> [gi|47109384|emb|CAG28673.1|](#) anti-PLAP ScFv antibody [synthetic construct]
Length=246

Score = 160 bits (405), Expect = 2e-38, Method: Composition-based stats.
Identities = 89/100 (89%), Positives = 91/100 (91%), Gaps = 0/100 (0%)

Query 3 ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 62

ELTQSPS LSASVGDRVTITCRASQGISNYLAWYQQKPGK PKLLIYAASLTQSGVPSRF

Sbjct 132 ELTQSPSSLSASVGDRVTITCRASQGISNYLAWYQQKPGKVPKLLIYAASLTQSGVPSRF 191

Query 63 SGSGSWTEFTLTISRLQPEDFATYYCQHLNTPWTFGQGT 102

SGSGS T+FTLTIS LQPED ATYYCQ N+ P TFGQGT

Sbjct 192 SGSGSGTDFTLTISLQPEDVATYYCQKYNAPRTFGQGT 231

> [gi|63103033|gb|AA33422.1|](#) **U** anti-rabies virus immunoglobulin light chain variable region [Homo sapiens]
Length=107

Score = 160 bits (404), Expect = 2e-38, Method: Composition-based stats.
Identities = 89/100 (89%), Positives = 94/100 (94%), Gaps = 0/100 (0%)

Query 3 ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 62

+LTQSPS LSASVGDRVTITCRASQGIS++LAWYQQKPGKAPKLLIYAAS+LQSGVPSRF

Sbjct 3 QLTQSPSSLSASVGDRVTITCRASQGISSHLAWYQQKPGKAPKLLIYAASSLTQSGVPSRF 62

Query 63 SGSGSWTEFTLTISRLQPEDFATYYCQHLNTPWTFGQGT 102

SGSGS TEFTLTIS LQPEDFATYYCQ N+YP TFGQGT

Sbjct 63 SGSGSGTEFTLTISLQPEDFATYYCQQFNSYPITFGQGT 102

> [gi|1514581|emb|CAA65058.1|](#) immunoglobulin kappa light chain [synthetic construct]
Length=234

Score = 160 bits (404), Expect = 2e-38, Method: Composition-based stats.
Identities = 85/101 (84%), Positives = 95/101 (94%), Gaps = 0/101 (0%)

Query 2 AELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSR 61

AELTQSPS +SASVGDRVTITCRASQGIS++LAWYQQKPGKAPKLLIY+AS+LQSGVPSR

Sbjct 22 AELTQSPSSVSASVGDRVTITCRASQGISSWLAWYQQKPGKAPKLLIYSASSLTQSGVPSR 81

Query 62 FSGSGSWTEFTLTISRLOPEDFATYYCQHLNTPWTFGQGT 102
 FSGSGS T+F+LTIS LQPED ATYYCQ N++P+TFGQGT
 Sbjct 82 FSGSGSGTDFSLTISSLQPEDSATYYCQQANSFPYTFGQGT 122

> gi|84797980|gb|ABC66939.1| **U** immunoglobulin light chain variable region EM5-PPS-14-K1-1 [Homo sapiens]
 Length=119

Score = 160 bits (404), Expect = 2e-38, Method: Composition-based stats.
 Identities = 89/99 (89%), Positives = 94/99 (94%), Gaps = 1/99 (1%)

Query 4 LTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRFS 63
 +TQSPSFLSASVGDRVTITCRASQGIS+YLAWYQQKPGKAPKLLIYAASLTQSGVPSRFS
 Sbjct 6 MTQSPSFLSASVGDKVTITCRASQGISSYLAWYQQKPGKAPKLLIYAASLTQSGVPSRFS 65

Query 64 GSGSWTEFTLTISRLOPEDFATYYCQHLNTPWTFGQGT 102
 GSGS TEFTLTIS LQPEDFATYYCQ LN+YP+ FG GT
 Sbjct 66 GSGSGTEFTLTISLQPEDFATYYCQQLNSYPF-FGGGT 103

> gi|21669293|dbj|BAC01671.1| **U** immunoglobulin kappa light chain VLJ region [Homo sapiens]
 Length=271

Score = 160 bits (404), Expect = 3e-38, Method: Composition-based stats.
 Identities = 84/100 (84%), Positives = 93/100 (93%), Gaps = 0/100 (0%)

Query 3 ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 62
 ++TQSPS LSASVGDRVTITCRASQ +++YL WYQQKPGKAPKLLIYAAS+LQSGVPSRF
 Sbjct 25 QMTQSPSSLSASVGDRVTITCRASQSVTSYLNWYQQKPGKAPKLLIYAASSLQSGVPSRF 84

Query 63 SGSGSWTEFTLTISRLOPEDFATYYCQHLNTPWTFGQGT 102
 SGSGS TEFTLTIS LQ+DFATYYCQ N+YP+TFGQGT
 Sbjct 85 SGSGSGTEFTLTISLQPDDEFATYYCQQYNSYPYTFGQGT 124

> gi|5731263|gb|AAD48839.1| single-chain Fv antibody SR19 [synthetic construct]
 Length=248

Score = 159 bits (403), Expect = 3e-38, Method: Composition-based stats.
 Identities = 84/100 (84%), Positives = 92/100 (92%), Gaps = 0/100 (0%)

Query 3 ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRF 62
 ++TQSPS LSASVGDRVTITCRASQ IS+YL WYQQKPGKAPKLLIYAAS+LQSGVPSRF
 Sbjct 143 QMTQSPSSLSASVGDKVTITCRASQSISSYLNWYQQKPGKAPKLLIYAASSLQSGVPSRF 202

Query 63 SGSGSWTEFTLTISRLOPEDFATYYCQHLNTPWTFGQGT 102
 SGSGS T+FTLTIS LQ+DFATYYCQ N+Y WTFGQGT
 Sbjct 203 SGSGSGTDFTLTISSLQPDDEFATYYCQQYNSYSWTFGQGT 242

> gi|58032607|gb|AAW63086.1| anti-pneumococcal antibody 54B11 light chain [Homo sapiens]
 Length=189

Score = 159 bits (403), Expect = 3e-38, Method: Composition-based stats.
 Identities = 86/97 (88%), Positives = 87/97 (89%), Gaps = 0/97 (0%)

Query 6 QSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASLTQSGVPSRFSGS 65
 QSPS LSASVGDRVTITCRASQGI N L WYQQKPGKAPK LIYAASLTQSGVPSRFSGS
 Sbjct 1 QSPSSLSASVGDRVTITCRASQGI RNDLGWYQQKPGKAPKRLIYAASLTQSGVPSRFSGS 60

Query 66 GSWTEFTLTISRLOPEDFATYYCQHLNTPWTFGQGT 102
 GS TEFTLTIS LQPEDFATYYC N+YPWTFGQGT

Sbjct 61 . GSGTEFTLTISLQPEDFATYYCLQHNSYPWTFGQGT 97

> gi|12655528|emb|CAC27615.1| immunoglobulin kappa chain variable region [Homo sapiens]
Length=103

Score = 159 bits (403), Expect = 3e-38, Method: Composition-based stats.
Identities = 91/100 (91%), Positives = 95/100 (95%), Gaps = 0/100 (0%)

```
Query 3 ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASTLQSGVPSRF 62
++TQSPSFLSASVGDRVTITCRASQGIS+YLAWYQQKPGKAPKLLIYAASTLQSGVPSRF
Sbjct 2 QMTQSPSFLSASVGDRVTITCRASQGISSYLAWYQQKPGKAPKLLIYAASTLQSGVPSRF 61

Query 63 SGSGSWTEFTLTISRLQPEDFATYYCQHLNTPWTFGQGT 102
SGSGS TEFTLTIS LQPEDFATYYCQ LN+Y TFGQGT
Sbjct 62 SGSGSGTEFTLTISLQPEDFATYYCQQLNSYSITFGQGT 101
```

> gi|33355929|gb|AAQ16318.1| anti-human kappa light chain antibody Fab AbLBP1L [synthetic
construct]
Length=239

Score = 159 bits (402), Expect = 4e-38, Method: Composition-based stats.
Identities = 84/101 (83%), Positives = 91/101 (90%), Gaps = 0/101 (0%)

```
Query 2 AELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASTLQSGVPSR 61
AELTQSPS LSASVGDRV+ITCRASQ IS YL WYQQKPGKAPKLLIYAAS+L+SGVPSR
Sbjct 22 AELTQSPSSLSASVGDRVSITCRASQTISRYLNWYQQKPGKAPKLLIYAASSLKSGVPSR 81

Query 62 FSGSGSWTEFTLTISRLQPEDFATYYCQHLNTPWTFGQGT 102
FSGSGS T+FTLTI+ LQPEDFATYYCQ N++P TFG GT
Sbjct 82 FSGSGSATDFTLTINSLQPEDFATYYCQANSFPLTFGGGT 122
```

> gi|29725718|gb|AAO91639.1| **U** anti-HLA-A2/A28 immunoglobulin light chain variable region [Homo sapiens]
Length=107

Score = 159 bits (402), Expect = 4e-38, Method: Composition-based stats.
Identities = 86/99 (86%), Positives = 89/99 (89%), Gaps = 0/99 (0%)

```
Query 4 LTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASTLQSGVPSRFS 63
+TQSPSFL ASVGDRVTITCRAS GISNY AWYQQKPGKAPKLLIYA STLQSGVPSRFS
Sbjct 4 MTQSPSFLXASVGDRVTITCRASHGISNYFAWYQQKPGKAPKLLIYATSTLQSGVPSRFS 63

Query 64 GSGSWTEFTLTISRLQPEDFATYYCQHLNTPWTFGQGT 102
GSGS TEFTLTIS LQPEDFATYYCQ ++YP TFG GT
Sbjct 64 GSGSGTEFTLTISGLQPEDFATYYCQYSSYPLTFGHGT 102
```

> gi|58222496|gb|AAW68880.1| **U** anti-tetanus toxoid immunoglobulin light chain variable region [Homo sapiens]
Length=107

Score = 159 bits (402), Expect = 4e-38, Method: Composition-based stats.
Identities = 86/99 (86%), Positives = 90/99 (90%), Gaps = 0/99 (0%)

```
Query 4 LTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASTLQSGVPSRFS 63
+TQSP FLSASVGDRVTITCRASQG+S YLAWYQ KPGKAPKLLIYAASTLQSGVPSRFS
Sbjct 4 MTQSPPFSLASVGDRVTITCRASQGLSTYLAWYQVKPGKAPKLLIYAASTLQSGVPSRFS 63

Query 64 GSGSWTEFTLTISRLQPEDFATYYCQHLNTPWTFGQGT 102
GSGS TEFTLTI+ LQPEDFATYYCQ L+TYP T G GT
Sbjct 64 GSGSGTEFTLTINSLQPEDFATYYCQQLDTPYPLTLGGGT 102
```

> gi|13171342|gb|AAK13633.1|AF234257.1 U immunoglobulin light chain variable region [Homo sap:
Length=107

Score = 159 bits (402), Expect = 4e-38, Method: Composition-based stats.
Identities = 85/100 (85%), Positives = 92/100 (92%), Gaps = 0/100 (0%)

```
Query 3      ELTQSPSFLSASVGDRVTITCRASQGISNYLAWYQQKPGKAPKLLIYAASTLQSGVPSRF 62
           E+TQSPS LSASVGDRVTITCRASQ I+N+LAWYQQ+PGKAP LLIY ASTLQ+GVPSRF
Sbjct 3      EMTQSPSTLSASVGDRVTITCRASQSINNWLAWYQQRPGKAPNLLIYKASTLQNGVPSRF 62

Query 63     SGSGSWTEFTLTISRLQPEDFATYYCQHLNTPWTFGQGT 102
           SGSGS TEFTLTIS LQP+DFATYYCQ N+YPWTFGQGT
Sbjct 63     SGSGSGTEFTLTISSLQPDDEFATYYCQQYNSYPWTFGQGT 102
```

Get selected sequences

Select all

Deselect all

Distance tree of results

Database: All non-redundant GenBank CDS translations+PDB+SwissProt+PIR+PRF excluding
environmental samples

Posted date: Feb 26, 2007 5:55 PM

Number of letters in database: 1,607,774,624

Number of sequences in database: 4,657,147

Lambda K H
0.317 0.129 0.405

Gapped
Lambda K H
0.267 0.0410 0.140

Matrix: BLOSUM62

Gap Penalties: Existence: 11, Extension: 1

Number of Sequences: 4657147

Number of Hits to DB: 32242863

Number of extensions: 1152658

Number of successful extensions: 2474

Number of sequences better than 10: 4

Number of HSP's better than 10 without gapping: 0

Number of HSP's gapped: 2503

Number of HSP's successfully gapped: 4

Length of query: 102

Length of database: 1607774624

Length adjustment: 71

Effective length of query: 31

Effective length of database: 1277117187

Effective search space: 39590632797

Effective search space used: 39590632797

T: 11

A: 40

X1: 16 (7.3 bits)

X2: 38 (14.6 bits)

X3: 64 (24.7 bits)

S1: 41 (20.4 bits)

S2: 71 (32.0 bits)

32

BLASTP 2.2.15 [Oct-15-2006]

Reference:

Altschul, Stephen F., Thomas L. Madden, Alejandro A. Schäffer, Jinghui Zhang, Zheng Zhang, Webb Miller, and David J. Lipman (1997), "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", Nucleic Acids Res. 25:3389-3402.

Reference:

Schäffer, Alejandro A., L. Aravind, Thomas L. Madden, Sergei Shavirin, John L. Spouge, Yuri I. Wolf, Eugene V. Koonin, and Stephen F. Altschul (2001), "Improving the accuracy of PSI-BLAST protein database searches with composition-based statistics and other refinements", Nucleic Acids Res. 29:2994-3005.

RID: 1172616742-22831-88631162316.BLASTQ3


Database: All non-redundant GenBank CDS translations+PDB+SwissProt+PIR+PRF excluding environmental samples
4,657,147 sequences; 1,607,774,624 total letters


If you have any problems or questions with the results of this search please refer to the [BLAST FAQs](#)
[Taxonomy reports](#)

Query= SEQ ID NO: 7
Length=120

Distribution of 100 Blast Hits on the Query Sequence

Mouse-over to show defline and scores, click to show alignments





[Distance tree of results](#) ^{NEW} [Related Structures](#)

Sequences producing significant alignments:		Score (Bits)	E Value	
gi 9837148 gb AAG00448.1 	anti-human melanoma single-chain va...	167	2e-40	
gi 87919 pir S14683	Ig mu chain precursor, membrane-bound (c...	166	3e-40	
gi 106898801 gb ABF83394.1 	circulating B cell antibody heavy...	164	1e-39	
gi 38382881 gb AAH62336.1 	IGHG1 protein [Homo sapiens]	164	1e-39	
gi 15886932 emb CAC88723.1 	immunoglobulin heavy chain variable	162	4e-39	
gi 93279222 pdb 2DD8 H	Chain H, Crystal Structure Of Sars-Cov...	162	6e-39	
gi 42543658 pdb 1RZI B	Chain B, Crystal Structure Of Human An...	160	3e-38	
gi 87813 pir B32274	Ig heavy chain precursor V-I region (EVI...	159	3e-38	
gi 185151 gb AAA52828.1 	immunoglobulin heavy chain precursor [H	159	3e-38	
gi 2344914 gb AAC51687.1 	IgM heavy chain VH1 region precursor [159	4e-38	
gi 27728677 gb AAO17821.1 	anti-rabies S057 immunoglobulin heavy	159	5e-38	
gi 21668772 dbj BAC01413.1 	immunoglobulin heavy chain VHDJ regi	159	5e-38	
gi 3170859 gb AAC18234.1 	immunoglobulin heavy chain variable re	158	7e-38	
gi 122892236 gb ABM67185.1 	immunoglobulin heavy chain variable	158	9e-38	
gi 118405991 gb ABK81358.1 	immunoglobulin heavy chain variable	157	1e-37	
gi 45504721 gb AAS66904.1 	immunoglobulin heavy chain variable r	157	1e-37	
gi 45504713 gb AAS66900.1 	immunoglobulin heavy chain variable r	157	1e-37	
gi 2344944 gb AAC51702.1 	IgM heavy chain VH1 region precursor [157	1e-37	
gi 29892991 emb CAD87747.1 	immunoglobulin heavy chain variable	157	2e-37	
gi 2344934 gb AAC51697.1 	IgM heavy chain VH1 region precursor [157	2e-37	
gi 4468364 emb CAB38066.1 	immunoglobulin heavy chain variable r	156	3e-37	
gi 15886988 emb CAC88751.1 	immunoglobulin heavy chain variable	156	3e-37	
gi 118406380 gb ABK81550.1 	immunoglobulin heavy chain variable	156	3e-37	
gi 21670665 dbj BAC02342.1 	immunoglobulin heavy chain VHDJ regi	156	4e-37	
gi 29892983 emb CAD87743.1 	immunoglobulin heavy chain variable	155	4e-37	
gi 106703 pir PH0958	Ig heavy chain V region (G6+ CLL-HUR) - hu	155	5e-37	
gi 20453025 gb AAM19761.1 	immunoglobulin heavy chain variable r	155	5e-37	
gi 15886946 emb CAC88730.1 	immunoglobulin heavy chain variable	155	5e-37	
gi 70798211 gb AAZ08818.1 	immunoglobulin heavy chain variable r	155	5e-37	
gi 15886958 emb CAC88736.1 	immunoglobulin heavy chain variable	155	5e-37	
gi 106897089 gb ABF83204.1 	circulating B cell antibody heavy...	155	6e-37	
gi 2344942 gb AAC51701.1 	IgM heavy chain VH1 region precursor [155	6e-37	
gi 3170785 gb AAC18197.1 	immunoglobulin heavy chain variable re	155	6e-37	
gi 27261427 gb AAN85866.1 	anti-keratin monoclonal antibody [...	155	6e-37	
gi 4456566 emb CAB37165.1 	immunoglobulin heavy chain variable r	155	7e-37	
gi 70798436 gb AAZ08930.1 	immunoglobulin heavy chain variable r	155	7e-37	

gi 15886984 emb CAC88749.1 	immunoglobulin heavy chain variable	155	7e-37	C
gi 2344928 gb AAC51694.1 	IgM heavy chain VH1 region precursor [155	8e-37	
gi 46255803 gb AAH69016.1 	IGHG1 protein [Homo sapiens]	154	9e-37	UG
gi 3170841 gb AAC18225.1 	immunoglobulin heavy chain variable re	154	1e-36	C
gi 1082511 pir S46394	Ig heavy chain V region - human >gi 13...	154	1e-36	
gi 45595687 gb AAH67091.1 	IGHG1 protein [Homo sapiens]	154	1e-36	UG
gi 5679470 emb CAB51710.1 	immunoglobulin heavy chain variable r	154	1e-36	C
gi 14573203 gb AAK67990.1 	immunoglobulin heavy chain variable r	154	1e-36	C
gi 15886972 emb CAC88743.1 	immunoglobulin heavy chain variable	154	1e-36	C
gi 87239718 emb CAJ76653.1 	anti-BINOL ScFv antibody [synthetic	154	1e-36	
gi 185325 gb AAB00782.1 	Ig heavy chain	154	1e-36	
gi 106478 pir C33548	Ig heavy chain V-1 region (783) - human	154	2e-36	
gi 60616488 gb AAX31272.1 	immunoglobulin heavy chain variable r	154	2e-36	C
gi 106479 pir B33548	Ig heavy chain V-1 region (AND) - human	153	2e-36	
gi 46254144 gb AAS86042.1 	immunoglobulin heavy chain [Homo sapi	153	2e-36	C
gi 70798229 gb AAZ08827.1 	immunoglobulin heavy chain variable r	153	2e-36	C
gi 14573207 gb AAK67992.1 	immunoglobulin heavy chain variabl...	153	2e-36	C
gi 45504715 gb AAS66901.1 	immunoglobulin heavy chain variable r	153	2e-36	C
gi 70798404 gb AAZ08914.1 	immunoglobulin heavy chain variable r	153	2e-36	C
gi 77158067 gb ABA62049.1 	immunoglobulin epsilon heavy chain...	153	2e-36	C
gi 74146792 gb ABA00058.1 	immunoglobulin epsilon heavy chain...	153	2e-36	C
gi 58221628 gb AAW68456.1 	anti-tetanus toxoid immunoglobulin...	153	2e-36	C
gi 3170813 gb AAC18211.1 	immunoglobulin heavy chain variable re	153	2e-36	C
gi 39937969 gb AAR32404.1 	immunoglobulin heavy chain variable r	153	3e-36	C
gi 4139210 gb AAD03728.1 	immunoglobulin IgM heavy chain variabl	153	3e-36	C
gi 2344976 gb AAC51718.1 	IgM heavy chain VH1 region precursor [153	3e-36	C
gi 4836312 gb AAD30400.1 AF115114_1	immunoglobulin heavy chain v	153	3e-36	C
gi 225801 prf 1313976B	rheumatoid factor KAS	153	3e-36	
gi 10636975 emb CAC10771.1 	immunoglobulin heavy chain variable	153	3e-36	C
gi 21669729 dbj BAC01874.1 	immunoglobulin heavy chain VHDJ regi	153	3e-36	C
gi 10444475 gb AAG17912.1 	immunoglobulin heavy chain variable r	153	3e-36	C
gi 21669963 dbj BAC01991.1 	immunoglobulin heavy chain VHDJ regi	153	3e-36	C
gi 70798007 gb AAZ08716.1 	immunoglobulin heavy chain variable r	152	3e-36	C
gi 3171039 gb AAC18320.1 	immunoglobulin heavy chain variable re	152	3e-36	C
gi 3170697 gb AAC18153.1 	immunoglobulin heavy chain variable re	152	3e-36	C
gi 3004730 gb AAC09104.1 	IgM heavy chain variable region [Homo	152	3e-36	C
gi 58221859 gb AAW68566.1 	anti-tetanus toxoid immunoglobulin...	152	4e-36	C
gi 115394132 gb ABI97021.1 	anti-Burkholderia mallei scFv antibo	152	4e-36	C
gi 21668738 dbj BAC01396.1 	immunoglobulin heavy chain VHDJ regi	152	4e-36	C
gi 122892170 gb ABM67152.1 	immunoglobulin heavy chain variable	152	4e-36	C
gi 5679474 emb CAB51712.1 	immunoglobulin heavy chain variable r	152	4e-36	C
gi 39939661 gb AAR32320.1 	immunoglobulin heavy chain variable r	152	4e-36	C
gi 510402 emb CAA84416.1 	IgM, variable region, rheumatoid fa...	152	4e-36	C
gi 744478 prf 2014394A	Ig, anti-thyroid peroxidase:SUBUNIT=heav	152	4e-36	C
gi 37014261 gb AAQ87990.1 	immunoglobulin E heavy chain variable	152	4e-36	C
gi 20453027 gb AAM19762.1 	immunoglobulin heavy chain variable r	152	4e-36	C
gi 45439530 gb AAS64360.1 	immunoglobulin mu heavy chain variabl	152	4e-36	C
gi 20149023 gb AAM12759.1 AF492404_1	anti-human interleukin-2 sc	152	4e-36	C
gi 40647142 gb AAR88377.1 	anti-HIV-1 gp120 immunoglobulin 47e h	152	5e-36	C
gi 106701 pir PH0957	Ig heavy chain V region (G6+ CLL-BRA) - hu	152	5e-36	
gi 185302 gb AAB00779.1 	Ig heavy chain	152	5e-36	
gi 34528319 dbj BAC85484.1 	unnamed protein product [Homo sapien	152	5e-36	UG
gi 37693802 gb AAQ98912.1 	immunoglobulin gamma light chain v...	152	5e-36	
gi 19848548 gb AAL17960.1 	immunoglobulin heavy chain variable r	152	5e-36	C

gi 46254205 gb AAS86072.1	immunoglobulin heavy chain [Homo sapi	152	6e-36	U
gi 21669929 dbj BAC01974.1	immunoglobulin heavy chain VHDJ regi	152	6e-36	U
gi 7385061 gb AAF61676.1	immunoglobulin heavy chain variable re	152	6e-36	
gi 106480 pir A33548	Ig heavy chain V-1 region (NEI) - human	152	6e-36	
gi 118406366 gb ABK81543.1	immunoglobulin heavy chain variable	152	6e-36	
gi 39938343 gb AAR32589.1	immunoglobulin heavy chain variable r	152	6e-36	U
gi 34595957 gb AAQ76696.1	immunoglobulin heavy chain variable r	152	7e-36	
gi 2344916 gb AAC51688.1	IgM heavy chain VH1 region precurs...	152	7e-36	
gi 70798055 gb AAZ08740.1	immunoglobulin heavy chain variable r	152	7e-36	U
gi 1498538 gb AAB06416.1	immunoglobulin heavy chain variable re	152	7e-36	U

Alignments

> ☐ gi|9837148|gb|AAG00448.1| anti-human melanoma single-chain variable fragment antibody G71-1 immunoconjugate [synthetic construct]
Length=501

Score = 167 bits (422), Expect = 2e-40, Method: Composition-based stats.
Identities = 85/119 (71%), Positives = 93/119 (78%), Gaps = 9/119 (7%)

Query	2	LEQSGSEVKVPGSSSLKVSCKTSGGTFSTYTFSWVRQAPQGGLWMMGGITPIIGIANYARN	61
Sbjct	25	.V...A...K....V.....A.....S.AI.....I..F.T....QK	84
Query	62	FQDRVITITADESTSTVYMEVRRRLRSEDTAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT	120
Sbjct	85	..G.....K....A...LSS.....RGG-----D.F.I.....	134

> ☐ gi|87919|pir||S14683 Ig mu chain precursor, membrane-bound (clone 201) - human
gi|33451|emb|CAA34971.1| **UG** unnamed protein product [Homo sapiens]
Length=627

Score = 166 bits (420), Expect = 3e-40, Method: Composition-based stats.
Identities = 87/124 (70%), Positives = 95/124 (76%), Gaps = 5/124 (4%)

Query	2	LEQSGSEVKVPGSSSLKVSCKTSGGTFSTYTFSWVRQAPQGGLWMMGGITPIIGIANYARN	61
Sbjct	23	.V...A...K....V.....A.....S.AI.....I..F.T....QK	82
Query	62	FQDRVITITADESTSTVYMEVRRRLRSEDTAVYYCAKTSEVTATRG-----RTFFYSAMDVW	116
Sbjct	83	..G.....A...LSS.....GILGPYSSGWYPNSDYY.YG....	142
Query	117	GQGT	120
Sbjct	143	146

> ☐ gi|106898801|gb|ABF83394.1| **U** circulating B cell antibody heavy chain variable region [Homo sapiens]
Length=129

Score = 164 bits (415), Expect = 1e-39, Method: Composition-based stats.
Identities = 89/119 (74%), Positives = 98/119 (82%), Gaps = 1/119 (0%)

Query	2	LEQSGSEVKVPGSSSLKVSCKTSGGTFSTYTFSWVRQAPQGGLWMMGGITPIIGIANYARN	61
Sbjct	6	.V...A...K....V.....N.AI.....P.....I..F.T....QK	65
Query	62	FQDRVITITADESTSTVYMEVRRRLRSEDTAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT	120
Sbjct	66	..G.....D....A...MSS.....RDA.M-..I..VH..HDL.....	123

> ☐ gi|38382881|gb|AAH62336.1| **UG** IGHG1 protein [Homo sapiens]

Length=470

Score = 164 bits (415), Expect = 1e-39, Method: Composition-based stats.
Identities = 86/119 (72%), Positives = 94/119 (78%), Gaps = 7/119 (5%)

Query 2 LEQSGSEVKVP GSSLKVSCKTSGGTFSTYTF SWVRQAPGQGLEWMGGITPIIGIANYARN 61
Sbjct 23 .V...A...K...V.....V...M.....E.I.MF...E..QR 82

Query 62 FQDRVITITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 83N.A...LSS.....-----SPAT.D.K.--F.Y..... 134

> [gi|15886932|emb|CAC88723.1](#) **U** immunoglobulin heavy chain variable region [Homo sapiens]
Length=122

Score = 162 bits (411), Expect = 4e-39, Method: Composition-based stats.
Identities = 85/119 (71%), Positives = 94/119 (78%), Gaps = 1/119 (0%)

Query 2 LEQSGSEVKVP GSSLKVSCKTSGGTFSTYTF SWVRQAPGQGLEWMGGITPIIGIANYARN 61
Sbjct 4 .V...A...K...V.....A.....S.AI.....I..F.T....QK 63

Query 62 FQDRVITITADESTSTVYMEVRRRLRSED TAVYYCAKT-SEVTATRGRTFFYSAMDVWGQG 119
Sbjct 64 ..G.....A...LSS.....RDPDIDVVVPA.IDY.YG..... 122

> [gi|93279222|pdb|2DD8|H](#) **S** Chain H, Crystal Structure Of Sars-Cov Spike Receptor-Binding
Domain Complexed With Neutralizing Antibody

[gi|93279898|pdb|2G75|A](#) **S** Chain A, Crystal Structure Of Anti-Sars M396 Antibody

[gi|93279900|pdb|2G75|C](#) **S** Chain C, Crystal Structure Of Anti-Sars M396 Antibody
Length=245

Score = 162 bits (409), Expect = 6e-39, Method: Composition-based stats.
Identities = 86/119 (72%), Positives = 96/119 (80%), Gaps = 10/119 (8%)

Query 2 LEQSGSEVKVP GSSLKVSCKTSGGTFSTYTF SWVRQAPGQGLEWMGGITPIIGIANYARN 61
Sbjct 4 .Q...A...K...V.....A.....S..I.....L.....QK 63

Query 62 FQDRVITITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 64 ..G.....T.....A...LSS.....RDTVM-----GG..... 112

> [gi|42543658|pdb|1RZI|B](#) **S** Chain B, Crystal Structure Of Human Anti-Hiv-1 Gp120-Reactive
Antibody 47e Fab

[gi|42543660|pdb|1RZI|D](#) **S** Chain D, Crystal Structure Of Human Anti-Hiv-1 Gp120-Reactive
Antibody 47e Fab

[gi|42543662|pdb|1RZI|F](#) **S** Chain F, Crystal Structure Of Human Anti-Hiv-1 Gp120-Reactive
Antibody 47e Fab

[gi|42543664|pdb|1RZI|H](#) **S** Chain H, Crystal Structure Of Human Anti-Hiv-1 Gp120-Reactive
Antibody 47e Fab

[gi|42543666|pdb|1RZI|J](#) **S** Chain J, Crystal Structure Of Human Anti-Hiv-1 Gp120-Reactive
Antibody 47e Fab

[gi|42543668|pdb|1RZI|L](#) **S** Chain L, Crystal Structure Of Human Anti-Hiv-1 Gp120-Reactive
Antibody 47e Fab

[gi|42543670|pdb|1RZI|N](#) **S** Chain N, Crystal Structure Of Human Anti-Hiv-1 Gp120-Reactive
Antibody 47e Fab

[gi|42543672|pdb|1RZI|P](#) **S** Chain P, Crystal Structure Of Human Anti-Hiv-1 Gp120-Reactive
Antibody 47e Fab

Length=230

Score = 160 bits (404), Expect = 3e-38, Method: Composition-based stats.
Identities = 85/120 (70%), Positives = 95/120 (79%), Gaps = 1/120 (0%)

```

Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 4    .L...A...K....V.....A.....S.AI.....I.VF.S....QK 63

Query 62   FQDRVTTITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATRGRTFFYS-AMDVWGQGT 120
Sbjct 64   ..G.....A...T...LSS.....F...GG.DGDYLSDP.Y.NHG..... 123

```

> gi|87813|pir|B32274 Ig heavy chain precursor V-I region (EVI-15) - human (fragment)
Length=135

Score = 159 bits (403), Expect = 3e-38, Method: Composition-based stats.
Identities = 82/123 (66%), Positives = 93/123 (75%), Gaps = 4/123 (3%)

```

Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 7    .V...A...K....V.....A.....S.A.....I.FL.TTH..QK 66

Query 62   FQDRVTTITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATR---GRTFFYSAMDVWG 117
Sbjct 67   .....T....R.A...LHI.....I....RDQSLNIEVVPLDPNY..DG..... 126

```

```

Query 118  QGT 120
Sbjct 127  ... 129

```

> gi|185151|gb|AAA52828.1| immunoglobulin heavy chain precursor [Homo sapiens]
Length=136

Score = 159 bits (403), Expect = 3e-38, Method: Composition-based stats.
Identities = 82/123 (66%), Positives = 93/123 (75%), Gaps = 4/123 (3%)

```

Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 7    .V...A...K....V.....A.....S.A.....I.FL.TTH..QK 66

Query 62   FQDRVTTITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATR---GRTFFYSAMDVWG 117
Sbjct 67   .....T....R.A...LHI.....I....RDQSLNIEVVPLDPNY..DG..... 126

```

```

Query 118  QGT 120
Sbjct 127  ... 129

```

> gi|2344914|gb|AAC51687.1| IgM heavy chain VH1 region precursor [Homo sapiens]
Length=148

Score = 159 bits (402), Expect = 4e-38, Method: Composition-based stats.
Identities = 85/120 (70%), Positives = 95/120 (79%), Gaps = 1/120 (0%)

```

Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 23   .V...A...K....V.....A.....S.AI.....I..F.T....QK 82

Query 62   FQDRVTTITADESTSTVYMEVRRRLRSED TAVYYCAK-TSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 83   ..G.....A...LSS.....RDVPDIVVVPAAIYY.YG..... 142

```

> gi|27728677|gb|AAO17821.1| **U** anti-rabies SO57 immunoglobulin heavy chain [Homo sapiens]
Length=476

Score = 159 bits (401), Expect = 5e-38, Method: Composition-based stats.
Identities = 81/120 (67%), Positives = 94/120 (78%), Gaps = 3/120 (2%)

```

Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 23   .V...A...K....V.....A.....NR..VN.....I..F.T....QR 82

Query 62   FQDRVTTITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATRGRTFFYSA-MDVWGQGT 120
Sbjct 83   ..G.L.....A...LSS...D.....F..R--.NLDNS.TYYYF.GWF.P..... 140

```


> gi|21668772|dbj|BAC01413.1| **U** immunoglobulin heavy chain VHDJ region [Homo sapiens]
Length=125

Score = 159 bits (401), Expect = 5e-38, Method: Composition-based stats.
Identities = 87/119 (73%), Positives = 95/119 (79%), Gaps = 3/119 (2%)

```
Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 4    .Q...A...K....V.....A.....S.AI.....I..F.T....QK 63

Query 62   FQDRVTTITADESTSTVYMEVRRRLRSEDTAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 64   ..G.....A...LSS.....RDPG.AVAG.---Y.YG..... 119
```

> gi|3170859|gb|AAC18234.1| **U** immunoglobulin heavy chain variable region [Homo sapiens]
Length=147

Score = 158 bits (400), Expect = 7e-38, Method: Composition-based stats.
Identities = 88/119 (73%), Positives = 95/119 (79%), Gaps = 1/119 (0%)

```
Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 23   .V...A...K....V.....A.....S.AI.....I..F.T....QK 82

Query 62   FQDRVTTITADESTSTVYMEVRRRLRSEDTAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 83   ..G.....A...LSS.....SFGSPA.IE..YYY.-G..... 140
```

> gi|122892236|gb|ABM67185.1| immunoglobulin heavy chain variable region [Homo sapiens]
Length=127

Score = 158 bits (399), Expect = 9e-38, Method: Composition-based stats.
Identities = 82/119 (68%), Positives = 96/119 (80%), Gaps = 3/119 (2%)

```
Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 6    .VE..A...K....V.....A.....S.SIN.....I.MF.P....H. 65

Query 62   FQDRVTTITADESTSTVYMEVRRRLRSEDTAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 66   ..G.....R.A..DLSS...D.....RARVIL---.A.YY.Y...A.... 121
```

> gi|118405991|gb|ABK81358.1| immunoglobulin heavy chain variable region [Homo sapiens]
Length=122

Score = 157 bits (398), Expect = 1e-37, Method: Composition-based stats.
Identities = 81/119 (68%), Positives = 90/119 (75%), Gaps = 0/119 (0%)

```
Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 4    .V...A...K....V.....A..DIL.SFVI.....N..F.TP...QK 63

Query 62   FQDRVTTITADESTSTVYMEVRRRLRSEDTAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 64   ..G.....A...LSS.....RPQTTVT.PHHYY.YG..... 122
```

> gi|45504721|gb|AAS66904.1| **U** immunoglobulin heavy chain variable region [Homo sapiens]
Length=129

Score = 157 bits (398), Expect = 1e-37, Method: Composition-based stats.
Identities = 86/120 (71%), Positives = 96/120 (80%), Gaps = 1/120 (0%)

```
Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 4    .V...A...K....V.....A.....S.AI.....I..F.T....QK 63

Query 62   FQDRVTTITADESTSTVYMEVRRRLRSEDTAVYYCAKTSE-VTATRGRTFFYSAMDVWGQGT 120
```

Sbjct 64 ..G.....A...LSS.....RGADI.VVPAAMGY.YG..... 123

> gi|45504713|gb|AAS66900.1| **U** immunoglobulin heavy chain variable region [Homo sapiens]
Length=129

Score = 157 bits (398), Expect = 1e-37, Method: Composition-based stats.
Identities = 86/120 (71%), Positives = 96/120 (80%), Gaps = 1/120 (0%)

```
Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 4    .V...A...K....V.....A.....S.AI.....I..F.T....QK 63

Query 62   FQDRVITITADESTSTVYMEVRRRLRSED TAVYYCAKTSE-VTATRGRTFFYSAMDVWGQGT 120
Sbjct 64   ..G.....A...LSS.....RGGDI.VVPAAMSY.YG..... 123
```

> gi|2344944|gb|AAC51702.1| IgM heavy chain VH1 region precursor [Homo sapiens]
Length=152

Score = 157 bits (397), Expect = 1e-37, Method: Composition-based stats.
Identities = 86/124 (69%), Positives = 95/124 (76%), Gaps = 5/124 (4%)

```
Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 23   .V...A...K....V.....A.....S.AI.....I..F.T....QK 82

Query 62   FQDRVITITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATR-----GR TFFYSAMDVW 116
Sbjct 83   ..G.....A...LSS.....RDAAHNPP.EWQQLDFNY.YG.... 142

Query 117  GQGT 120
Sbjct 143  .... 146
```

> gi|29892991|emb|CAD87747.1| **U** immunoglobulin heavy chain variable region [Homo sapiens]
Length=130

Score = 157 bits (397), Expect = 2e-37, Method: Composition-based stats.
Identities = 86/120 (71%), Positives = 95/120 (79%), Gaps = 1/120 (0%)

```
Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 4    .V...A...K....V.....A.....S.AI.....I..F.T....QK 63

Query 62   FQDRVITITADESTSTVYMEVRRRLRSED TAVYYCAKTSE-VTATRGRTFFYSAMDVWGQGT 120
Sbjct 64   ..G.....A...LSS.....RGGDI.VVPAAMRY.YG..... 123
```

> gi|2344934|gb|AAC51697.1| IgM heavy chain VH1 region precursor [Homo sapiens]
Length=146

Score = 157 bits (396), Expect = 2e-37, Method: Composition-based stats.
Identities = 87/119 (73%), Positives = 95/119 (79%), Gaps = 1/119 (0%)

```
Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 23   .V...A...K....V.....A.....S.AI.....I..F.T....QK 82

Query 62   FQDRVITITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 83   ..G.....A...LSS.....R-.M.QGVINVL.YG..... 140
```

> gi|4468364|emb|CAB38066.1| **U** immunoglobulin heavy chain variable region [Homo sapiens]
Length=118

Score = 156 bits (395), Expect = 3e-37, Method: Composition-based stats.
Identities = 87/120 (72%), Positives = 96/120 (80%), Gaps = 11/120 (9%)

```

Query 1  LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYAR 60
Sbjct 4  .....A...K....V.....A.....S.AI.....R.I..L.....Q 63

Query 61  NFQDRVITITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 64  K..G.....K....A...LSS.....R-----E...A-----I..... 112

```

> gi|15886988|emb|CAC88751.1| **U** immunoglobulin heavy chain variable region [Homo sapiens]
Length=130

Score = 156 bits (395), Expect = 3e-37, Method: Composition-based stats.
Identities = 86/126 (68%), Positives = 95/126 (75%), Gaps = 7/126 (5%)

```

Query 2  LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 4  .V...A...K....V.....A.....S.AI.....I..F.T....QK 63

Query 62  FQDRVITITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATR-----GRTFFYSAMD 114
Sbjct 64  ..G.....A...LSS.....RDFPGGQL.FLEWSILTKHYY.YG.. 123

Query 115  VWGQGT 120
Sbjct 124  ..... 129

```

> gi|118406380|gb|ABK81550.1| immunoglobulin heavy chain variable region [Homo sapiens]
Length=132

Score = 156 bits (394), Expect = 3e-37, Method: Composition-based stats.
Identities = 87/122 (71%), Positives = 95/122 (77%), Gaps = 4/122 (3%)

```

Query 2  LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 4  .V...A...R....V.....A.....S.A.....L..FVTT...QK 63

Query 62  FQDRVITITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATRGRT---FFYSAMDVWGQ 118
Sbjct 64  ..G.I..M.....T...LSS.....I....G-K.A..AE...DHYLY.YG..... 122

Query 119  GT 120
Sbjct 123  .. 124

```

> gi|21670665|dbj|BAC02342.1| **U** immunoglobulin heavy chain VHDJ region [Homo sapiens]
Length=128

Score = 156 bits (394), Expect = 4e-37, Method: Composition-based stats.
Identities = 85/119 (71%), Positives = 93/119 (78%), Gaps = 0/119 (0%)

```

Query 2  LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 4  .L..AA...K....V.....A.....S.AI.....I..F.T....QK 63

Query 62  FQDRVITITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 64  ..G.....A...LSS.....RDVYDIL.GYSLYY.YG..... 122

```

> gi|29892983|emb|CAD87743.1| **U** immunoglobulin heavy chain variable region [Homo sapiens]
Length=125

Score = 155 bits (393), Expect = 4e-37, Method: Composition-based stats.
Identities = 86/121 (71%), Positives = 94/121 (77%), Gaps = 2/121 (1%)

```

Query 2  LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 4  .V...A...K....V.....A.....S.AI.....I..F.T....QK 63

Query 62  FQDRVITITADESTSTVYMEVRRRLRSED TAVYYCAKT--SEVTATRGRTFFYSAMDVWGQ 119
Sbjct 64  ..G.....A...LSS.....RVDGAM.QGVIPLGPY.YG..... 123

```

Query 120 T 120
Sbjct 124 . 124

> gi|106703|pir||PH0958 Ig heavy chain V region (G6+ CLL-HUR) - human (fragment)
Length=122

Score = 155 bits (392), Expect = 5e-37, Method: Composition-based stats.
Identities = 86/119 (72%), Positives = 92/119 (77%), Gaps = 6/119 (5%)

Query 2 LEQSGSEVKVP GSSLKVSCKTSGGTFSTYTF SWVRQAPQG LEWMGGITPIIGIANYARN 61
Sbjct 4 .V...A...K....V.....A.....S.AI.....I..F.T....QK 63

Query 62 FQDRVITITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 64 ..G.....A...LSS.....RVPN-----PL..AVG..... 116

> gi|20453025|gb|AAM19761.1| **U** immunoglobulin heavy chain variable region [Homo sapiens]
Length=130

Score = 155 bits (392), Expect = 5e-37, Method: Composition-based stats.
Identities = 86/128 (67%), Positives = 94/128 (73%), Gaps = 9/128 (7%)

Query 2 LEQSGSEVKVP GSSLKVSCKTSGGTFSTYTF SWVRQAPQG LEWMGGITPIIGIANYARN 61
Sbjct 1 .V...A...K....V.....A.....S.AI.....I..F.T....QK 60

Query 62 FQDRVITITADESTSTVYMEVRRRLRSED TAVYYCAKT-----SEVTATRGRTFFYSA 112
Sbjct 61 ..G.....A...LSS.....NNQGLLDYDFW.GYSHRLPGFYY.YG 120

Query 113 MDVWGQGT 120
Sbjct 121 128

> gi|15886946|emb|CAC88730.1| **U** immunoglobulin heavy chain variable region [Homo sapiens]
Length=124

Score = 155 bits (392), Expect = 5e-37, Method: Composition-based stats.
Identities = 85/121 (70%), Positives = 93/121 (76%), Gaps = 3/121 (2%)

Query 2 LEQSGSEVKVP GSSLKVSCKTSGGTFSTYTF SWVRQAPQG LEWMGGITPIIGIANYARN 61
Sbjct 4 .V...A...K....V.....A.....S.AI.....I..F.T....QK 63

Query 62 FQDRVITITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVT---ATRGRTFFYSAMDVWGQ 118
Sbjct 64 ..G.....A...LSS.....SPG.PNDFWSGSNRYRY.YG..... 123

Query 119 G 119
Sbjct 124 . 124

> gi|70798211|gb|AAZ08818.1| **U** immunoglobulin heavy chain variable region [Homo sapiens]
Length=126

Score = 155 bits (392), Expect = 5e-37, Method: Composition-based stats.
Identities = 85/119 (71%), Positives = 95/119 (79%), Gaps = 2/119 (1%)

Query 2 LEQSGSEVKVP GSSLKVSCKTSGGTFSTYTF SWVRQAPQG LEWMGGITPIIGIANYARN 61
Sbjct 4 .V...A...K....V.....A.....S..I.....I..F.T....QK 63

Query 62 FQDRVITITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 64 ..G.....A...LSS.....RE.TIFGV--VNWVFD.F.I..... 120

> gi|15886958|emb|CAC88736.1| **U** immunoglobulin heavy chain variable region [Homo sapiens]
Length=122

Score = 155 bits (392), Expect = 5e-37, Method: Composition-based stats.
Identities = 84/119 (70%), Positives = 92/119 (77%), Gaps = 0/119 (0%)

```
Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 4    .V...A...K....V.....A.....S.AI.....I..F.T....QK 63

Query 62   FQDRVTTITADESTSTVYMEVRRRLRSEDTAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 64   ..G.....A...LSS.....RGGDYDYVW.SYRPND.F.I..... 122
```

> [gi|106897089|gb|ABF83204.1|](#) **U** circulating B cell antibody heavy chain variable region [Homo sapiens]
Length=127

Score = 155 bits (392), Expect = 6e-37, Method: Composition-based stats.
Identities = 86/119 (72%), Positives = 96/119 (80%), Gaps = 3/119 (2%)

```
Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 6    .V...A...K....V.....A.....S..I.....R.I..L.....QK 65

Query 62   FQDRVTTITADESTSTVYMEVRRRLRSEDTAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 66   ..G.....K....A...LSS.....RDL...TFGPK---.NWF.P..... 121
```

> [gi|2344942|gb|AAC51701.1|](#) IgM heavy chain VH1 region precursor [Homo sapiens]
Length=141

Score = 155 bits (392), Expect = 6e-37, Method: Composition-based stats.
Identities = 86/119 (72%), Positives = 92/119 (77%), Gaps = 6/119 (5%)

```
Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 23   .V...A...K....V.....A.....S.AI.....I..F.T....QK 82

Query 62   FQDRVTTITADESTSTVYMEVRRRLRSEDTAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 83   ..G.....A...LSS.....RVPN-----PL..AVG..... 135
```

> [gi|3170785|gb|AAC18197.1|](#) **U** immunoglobulin heavy chain variable region [Homo sapiens]
Length=146

Score = 155 bits (392), Expect = 6e-37, Method: Composition-based stats.
Identities = 85/119 (71%), Positives = 95/119 (79%), Gaps = 2/119 (1%)

```
Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 23   .V...A...K....V.....A.....S.AI.....I..F.T....QK 82

Query 62   FQDRVTTITADESTSTVYMEVRRRLRSEDTAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 83   ..G.....K....A...LSS.....RGYDFVGSP.H--Y.YG..... 139
```

> [gi|27261427|gb|AAN85866.1|](#) anti-keratin monoclonal antibody [synthetic construct]
[gi|30523031|gb|AAP31872.1|](#) anti-keratin immunoglobulin heavy chain variable region [synthetic construct]
Length=123

Score = 155 bits (392), Expect = 6e-37, Method: Composition-based stats.
Identities = 85/120 (70%), Positives = 96/120 (80%), Gaps = 6/120 (5%)

```
Query 1    LLEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYAR 60
Sbjct 4    .....A...K....V.....A.....S.AI.....R.V..L.....Q 63

Query 61   NFQDRVTTITADESTSTVYMEVRRRLRSEDTAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 64   K..G.....K....A...LSS.....R-----A.RHWVREASL..... 117
```

> gi|4456566|emb|CAB37165.1| **U** immunoglobulin heavy chain variable region [Homo sapiens]
Length=127

Score = 155 bits (391), Expect = 7e-37, Method: Composition-based stats.
Identities = 85/119 (71%), Positives = 95/119 (79%), Gaps = 1/119 (0%)

```
Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 4    .V...A...K....V.....A.....S.AI.....I..F.T....QK 63

Query 62   FQDRVTITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 64   ..G.....A...LSS.....R-AM.RGVIHLDYY.YY.....K.. 121
```

> gi|70798436|gb|AAZ08930.1| **U** immunoglobulin heavy chain variable region [Homo sapiens]
Length=122

Score = 155 bits (391), Expect = 7e-37, Method: Composition-based stats.
Identities = 85/119 (71%), Positives = 92/119 (77%), Gaps = 0/119 (0%)

```
Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 1    .V...A...K....V.....A.....S.AI.....I..F.T....QK 60

Query 62   FQDRVTITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 61   ..G.....A...LSS.....VGRGYGNPATFYFY.YG..... 119
```

> gi|15886984|emb|CAC88749.1| **U** immunoglobulin heavy chain variable region [Homo sapiens]
Length=125

Score = 155 bits (391), Expect = 7e-37, Method: Composition-based stats.
Identities = 85/121 (70%), Positives = 94/121 (77%), Gaps = 5/121 (4%)

```
Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 4    .V...A...K....V.....A.....S.AI.....I..F.T....QK 63

Query 62   FQDRVTITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATRGRTF--FYSAMDVWGQG 119
Sbjct 64   ..G.....A...LSS.....R---.PPS.NIVLMVYDD.F.I.... 120

Query 120   T 120
Sbjct 121   . 121
```

> gi|2344928|gb|AAC51694.1| IgM heavy chain VH1 region precursor [Homo sapiens]
Length=150

Score = 155 bits (391), Expect = 8e-37, Method: Composition-based stats.
Identities = 86/122 (70%), Positives = 96/122 (78%), Gaps = 3/122 (2%)

```
Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 23   .V...A...K....V.....A.....S.AI.....I..F.T....QK 82

Query 62   FQDRVTITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATRG---RTFFYSAMDVWGQ 118
Sbjct 83   ..G.....A...LSS.....RGTGKITIF.VVINYYY.YG..... 142

Query 119   GT 120
Sbjct 143   .. 144
```

> gi|46255803|gb|AAH69016.1| **UG** IGHG1 protein [Homo sapiens]
Length=476

Score = 154 bits (390), Expect = 9e-37, Method: Composition-based stats.

Identities = 80/123 (65%), Positives = 92/123 (74%), Gaps = 9/123 (7%)

```
Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 23   .V...A...K....V.....A.....D.PI.....I..F.AP...QK 82

Query 62   FQDRVITITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATRGRTFFYSA----MDVWG 117
Sbjct 83   ..G.....TE...N.A...LSS.....R-----.P.NAFYYE.SGYLYF.L.. 137

Query 118   QGT 120
Sbjct 138   R.. 140
```

> gi|3170841|gb|AAC18225.1| **U** immunoglobulin heavy chain variable region [Homo sapiens]
Length=129

Score = 154 bits (390), Expect = 1e-36, Method: Composition-based stats.
Identities = 82/119 (68%), Positives = 93/119 (78%), Gaps = 0/119 (0%)

```
Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 4     .V...A...K....V.....A.....S.AI.....I..F.T....QK 63

Query 62   FQDRVITITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 64   ..G.....K....A...LSS.....RQADCSGGSCYDI.PNWF.P..... 122
```

> gi|1082511|pir||S46394 Ig heavy chain V region - human
gi|1335147|emb|CAA83486.1| Immunoglobulin heavy chain variable region (VH-50) [Homo sapiens]
Length=132

Score = 154 bits (390), Expect = 1e-36, Method: Composition-based stats.
Identities = 86/123 (69%), Positives = 95/123 (77%), Gaps = 4/123 (3%)

```
Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 4     .V...A...K....V.....A.....S.AI.....I..F.T..H.QK 63

Query 62   FQDRVITITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATRG----RTFFYSAMDVWG 117
Sbjct 64   ..G.....A...LSS.....R.QLPA.DT.ILEWLPSY.YY..... 123

Query 118   QGT 120
Sbjct 124   K.. 126
```

> gi|45595687|gb|AAH67091.1| **UG** IGHG1 protein [Homo sapiens]
Length=475

Score = 154 bits (390), Expect = 1e-36, Method: Composition-based stats.
Identities = 77/119 (64%), Positives = 89/119 (74%), Gaps = 2/119 (1%)

```
Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 23   .V...A...K....V.....A..D..TN.AI.....I..F.TTD..Q. 82

Query 62   FQDRVITITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 83   .....NLFSL.INN...K...M...VRE.FT.VFGVP.LH.--L.S..... 139
```

> gi|5679470|emb|CAB51710.1| **U** immunoglobulin heavy chain variable region [Homo sapiens]
Length=131

Score = 154 bits (389), Expect = 1e-36, Method: Composition-based stats.
Identities = 87/119 (73%), Positives = 95/119 (79%), Gaps = 1/119 (0%)

```
Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 4     .V...A...K....V.....A.....S.AI.....I..F.T....QK 63
```

Query 62 FQDRVITITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 64 ..G.....A...LSS.....GPPD-..MVTLFYY.YG..... 121

> gi|14573203|gb|AAK67990.1| **U** immunoglobulin heavy chain variable region [Homo sapiens]
Length=134

Score = 154 bits (389), Expect = 1e-36, Method: Composition-based stats.
Identities = 83/125 (66%), Positives = 96/125 (76%), Gaps = 5/125 (4%)

Query 1 LLEQSGSEVKVP GSSLKVSCKTSGGTFSTYTF SWVRQAPGQGLEWMGGITPIIGIANYAR 60
Sbjct 4A...K....V.....A.....NKHAI.....R.ITMFDV....Q 63

Query 61 NFQDRVITITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTA-----TRGRTFFYSAMDV 115
Sbjct 64 K..G.....K....A...LSN.....RVERAAEAYYYRSG.Y.YY..P... 123

Query 116 WGQGT 120
Sbjct 124 128

> gi|15886972|emb|CAC88743.1| **U** immunoglobulin heavy chain variable region [Homo sapiens]
Length=125

Score = 154 bits (389), Expect = 1e-36, Method: Composition-based stats.
Identities = 84/122 (68%), Positives = 93/122 (76%), Gaps = 3/122 (2%)

Query 2 LEQSGSEVKVP GSSLKVSCKTSGGTFSTYTF SWVRQAPGQGLEWMGGITPIIGIANYARN 61
Sbjct 4 .V...A...K....V.....A.....S.AI.....I..F.T....QK 63

Query 62 FQDRVITITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATRGRTFF--YSAMDVWGQ 118
Sbjct 64 ..G.....A...LSS.....REAVRITIF.VVIIPRCT.F.I... 123

Query 119 GT 120
Sbjct 124 .. 125

> gi|87239718|emb|CAJ76653.1| anti-BINOL ScFv antibody [synthetic construct]
Length=249

Score = 154 bits (389), Expect = 1e-36, Method: Composition-based stats.
Identities = 85/119 (71%), Positives = 92/119 (77%), Gaps = 8/119 (6%)

Query 2 LEQSGSEVKVP GSSLKVSCKTSGGTFSTYTF SWVRQAPGQGLEWMGGITPIIGIANYARN 61
Sbjct 4 .V...A...K....V.....A.....S.AI.....I..F.T....QK 63

Query 62 FQDRVITITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 64 ..G.....A...LSS.....-----S..PYSDTLK..... 114

> gi|185325|gb|AAB00782.1| Ig heavy chain
Length=146

Score = 154 bits (389), Expect = 1e-36, Method: Composition-based stats.
Identities = 86/119 (72%), Positives = 95/119 (79%), Gaps = 1/119 (0%)

Query 2 LEQSGSEVKVP GSSLKVSCKTSGGTFSTYTF SWVRQAPGQGLEWMGGITPIIGIANYARN 61
Sbjct 23 .V...A...K....V.....A.....S.AI.....I..F.T....QK 82

Query 62 FQDRVITITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 83 ..G.....A...LSS.....REV-.GCSSTSCYY.YG..... 140

> gi|106478|pir|C33548 Ig heavy chain V-1 region (783) - human
Length=133

Score = 154 bits (388), Expect = 2e-36, Method: Composition-based stats.
Identities = 87/124 (70%), Positives = 95/124 (76%), Gaps = 5/124 (4%)

```
Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 4    .V...A...K....V.....A.....S.AI.....I..F.T....QK 63

Query 62   FQDRVTITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATRG-----RTFFYSAMDVW 116
Sbjct 64   ..G.....A...LSS.....GILGPYSSGWYPNSDYY.YG.... 123

Query 117  GQGT 120
Sbjct 124  .... 127
```

> gi|60616488|gb|AAX31272.1| **U** immunoglobulin heavy chain variable region [Homo sapiens]
Length=122

Score = 154 bits (388), Expect = 2e-36, Method: Composition-based stats.
Identities = 84/119 (70%), Positives = 93/119 (78%), Gaps = 2/119 (1%)

```
Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 4    .V...A...K....V.....A.....S.AI.....I..F.T....QK 63

Query 62   FQDRVTITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 64   ..G.....A...LSS.....R--DPVDCS.GSCYL.WF.P..... 120
```

> gi|106479|pir||B33548 Ig heavy chain V-1 region (AND) - human
Length=126

Score = 153 bits (387), Expect = 2e-36, Method: Composition-based stats.
Identities = 85/119 (71%), Positives = 94/119 (78%), Gaps = 2/119 (1%)

```
Query 2    LEQSGSEVKVPGSSLKVSCKTSGGTFSTYTFSWVRQAPQGQLEWMGGITPIIGIANYARN 61
Sbjct 4    .V...A...K....V.....A.....S.AI.....I..F.T....QK 63

Query 62   FQDRVTITADESTSTVYMEVRRRLRSED TAVYYCAKTSEVTATRGRTFFYSAMDVWGQGT 120
Sbjct 64   ..G.....A...LSS.....RV.IFGVV--QHYY.YY.....L.. 120
```

Get selected sequences

Select all

Deselect all

Distance tree of results

Database: All non-redundant GenBank CDS translations+PDB+SwissProt+PIR+PRF excluding environmental samples

Posted date: Feb 26, 2007 5:55 PM

Number of letters in database: 1,607,774,624

Number of sequences in database: 4,657,147

Lambda K H
0.316 0.129 0.387

Gapped
Lambda K H
0.267 0.0410 0.140

Matrix: BLOSUM62

Gap Penalties: Existence: 11, Extension: 1

Number of Sequences: 4657147

Number of Hits to DB: 37426471

Number of extensions: 1361095

Number of successful extensions: 3017

Number of sequences better than 10: 4

Number of HSP's better than 10 without gapping: 0

Number of HSP's gapped: 3064

Number of HSP's successfully gapped: 4

Length of query: 120

Length of database: 1607774624
Length adjustment: 87
Effective length of query: 33
Effective length of database: 1202602835
Effective search space: 39685893555
Effective search space used: 39685893555
T: 11
A: 40
X1: 16 (7.3 bits)
X2: 38 (14.6 bits)
X3: 64 (24.7 bits)
S1: 41 (20.4 bits)
S2: 71 (32.0 bits)